

AXIOM® Light Covers – Indirect Field

For Specialty Ceilings



SUSTAIN™
High Performance
Sustainable
Ceiling Systems



Axiom Indirect Light Covers

This extruded aluminum perimeter trim is a solution for use as exposed custom decorative trim with suspended panels or drywall.

KEY SELECTION ATTRIBUTES

- Axiom® Indirect Field Light Covers for Specialty Ceilings offer predictable lighting performance and perfect integration with selected Armstrong® Specialty Ceilings
- CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim
- Axiom Indirect Field Light Covers are part of the Sustain™ portfolio and meet the most stringent industry sustainability compliance standards today
- With our lighting partners, this pre-engineered solution offers a variety of options with both Ceiling-to-Wall and Ceiling-to-Ceiling light covers and sizes
- Pre-fabricated corners
- Ability to cut to the length desired in the field
- Adjustable trim clip allows for a range of 0" to 3-1/4" to accommodate your specialty panels
- 10-Year Limited Warranty, 30-Year System Warranty

TYPICAL APPLICATIONS

- Offices
- Corridors
- Restrooms
- Healthcare
- Lobbies
- Boardrooms
- Retail
- Retrofits


LIGHTING FIXTURES

Compatible with:
Axis Lighting and Vode® Lighting.



COLORS Due to printing limitations, shade may vary from actual product.

Axiom Trim Finish Selection



* Colors that are pre-qualified to meet Sustain™ portfolio requirements are available upon request. Other made-to-order colors must be evaluated if sustainability criteria is required. Lead time will increase.

VISUAL SELECTION

Specify Indirect Light Cove Item Number

Example: AXIASLCC2 – Axiom Indirect Field Light Cove, Ceiling-to-Ceiling, 2" Classic Light

	Item No. ♦	Mounting	Edge Detail	Options
Straight	AXIASL_ _	CC – Ceiling-to-Ceiling CW – Ceiling-to-Wall	2 – 2" Classic KE – Knife Edge ACT	
Corner	AXIASL_ _	CC – Ceiling-to-Ceiling CW – Ceiling-to-Wall	2 – 2" Classic KE – Knife Edge ACT	IC – Inside Corner OC – Outside Corner

* Add an extra digit "3" before the color suffix as all of our Indirect Field Light Covers for Specialty Ceilings are painted inside and outside.

AXIOM® Light Covers – Indirect Field For Specialty Ceilings



Declare

LEED WELL LBC

50% RECYCLED CONTENT

ALUMI-NUM


Calculate sustainability with Green Genie
armstrongceilings.com/greengenie

- energy management
- construction waste mgmt
- regional materials
- design for flexibility
- EPD
- recyclable/repairable producer resp.
- biobased materials
- recycled content
- sourcing of raw materials
- material ingredient reporting
- low emitting materials
- lighting quality
- acoustics


LOCATION DEPENDENT

CORNER SELECTION


CORNERS for Classic Profiles




Ceiling-to-Ceiling
Inside Corner



Ceiling-to-Ceiling
Outside Corner



Ceiling-to-Wall
Inside Corner




Ceiling-to-Wall
Outside Corner


CORNERS for Knife Edge Profiles




Ceiling-to-Ceiling
Inside Corner



Ceiling-to-Ceiling
Outside Corner



Ceiling-to-Wall
Inside Corner



Ceiling-to-Wall
Outside Corner

COMPATIBLE SPECIALTY CEILINGS (CORNERS)

MetalWorks™

- Torsion Spring
- Linear
- Clip-On
- Open Cell
- 3D
- Synchro™
- Diverge™


WoodWorks®

- Grille
- Grille Tegular
- Concealed
- Torsion Spring
- Open Cell
- Linear


ACCESSORIES (7239 and AX4SPLICE are included with order)

Item No. Description


7239 Adjustable Trim Clip




AX4SPLICE Axiom Splice Plate



151220E 12' Knurled Angle Molding



DW90C 90° Drywall Angle Clip



SB12P StrongBack™ Support Hanger

DETAILS



Classic Ceiling-to-Ceiling



Knife Edge® Ceiling-to-Ceiling

NOTE: Elevations and shop drawings are required for the manufacturing of this product. Contact Armstrong Customer Service at 1 877 276 7876, select options 1-1-2 for quotation.



TRIM & TRANSITIONS – Standard

LIGHTING SOLUTIONS

AXIOM® Light Covers – Indirect Field

For Specialty Ceilings










Declare.



LOCATION DEPENDENT

DETAILS



TRIM & TRANSITIONS – Standard

LIGHTING SOLUTIONS

AXIOM® Light Covers – Indirect Field

For Specialty Ceilings



LEED® WELL | LBC

50% RECYCLED CONTENT


energy management	construction waste mgmt	regional materials	design for flexibility	ALUMI-NUM	EPD	recyclable/producer resp.	biobased materials	recycled content	recycled content	sourcing of raw materials	material ingredient reporting	low emitting materials	lighting quality	acoustics
-------------------	-------------------------	--------------------	------------------------	-----------	-----	---------------------------	--------------------	------------------	------------------	---------------------------	-------------------------------	------------------------	------------------	-----------

Calculate sustainability with Green Genie
armstrongceilings.com/greengenie

LOCATION DEPENDENT

COMPATIBLE LIGHT FIXTURES

CovePerfekt™ by Axis Lighting




Outstanding Aesthetics


- No shadows. No bright spots. No color shifting.

Easy Specification

- Aim-free luminaire. No need for complex details. Less trade coordination.



Wall



Ceiling

Unparalleled Performance

- Twice the efficiency of other LED cove products.
- Wide distribution using SurroundLite™ technology.


Worry-free Installation & Maintenance

- Foolproof keyed mounting. Up to 90% less labor.




For more information: www.axislighting.com

ZipWave™ | LED | 707 by Vode® Lighting Perfect color, perfect beam, perfect alignment... every time



Ceiling Cove

Wall Cove



Exceptional Performance

- Low, standard and high outputs available
- High output over 1200 lm/ft.
- Customizable output and wattage options

Foolproof Installation

- Drop-in, tool-free installation with plug and play connections
- Runs 100' or more from one 120v power feed
- Section lengths in exact 1' (305mm) increments



For more information: www.vode.com/zipwave-led-707

PHYSICAL DATA

Material
Commercial quality 3003 aluminum alloy

Surface Finish
Factory-applied baked polyester paint finish

Warranty
10-Year Limited Warranty; 30-Year System Warranty

Profile
Various options with both Ceiling-to-Wall and Ceiling-to-Ceiling Light Covers in a wide range of sizes with 3/4" horizontal flange.

Cross Tee/Main Beam Interface
Flush fit

End Detail
Splice with screws

Cleaning & Disinfecting
Cleaning and CDC approved disinfecting options available on armstrongceilings.com/cleaning

ICC Reports

For areas under ICC jurisdiction, see evaluation report numbers ESR-1289 and ESR-1308 for allowable values and/or conditions of use concerning the suspension system components listed on this page. The reports are subject to reexamination, revisions, and possible cancellation.

Application Considerations

Axiom Indirect Light Covers cannot be curved.

TechLine / 1 877 276-7876
armstrongceilings.com/lightcovers
BPCS-6409-523

CovePerfekt™ is a trademark of Axis Lighting; Vode® And ZipWave™ are trademarks of Vode Lighting LLC; LEED® is a registered trademark of the U.S. Green Building Council; Declare® and Living Building Challenge® (LBC) are registered trademarks of the International Living Future Institute®; WELL™ and Well Building Standard are trademarks of the International WELL Building Institute; all other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates © 2023 AWI Licensing LLC

Armstrong®
World Industries



TRIM & TRANSITIONS – Standard