



Axiom Classic Trim

Extruded perimeter trim solution for use in floating suspended ceiling applications.

KEY SELECTION ATTRIBUTES

- Adjustable trim clip (Item 7239) makes Axiom® Classic Trim compatible with WoodWorks® and MetalWorks® panels that drop greater than 3/8" below the grid flange
- Crisp-edge detailing and excellent corrosion resistance compared to roll-formed steel systems
- Factory precision mitering and custom lengths available as special order
- Axiom trim is part of the Sustain™ portfolio and meets the most stringent industry sustainability compliance standards today
- CleanAssure[™] family of products includes disinfectable panels, suspension systems, and trim (Cleaning and CDCapproved disinfecting options available on armstrongceillings.com/cleaning)
- · Nine profile heights
- Compatible with Armstrong® Suspension Systems and FrameAll™ Drywall Grid
- Colors coordinate with Armstrong ceiling and suspension systems
- 10-Year Limited warranty, 30-year system warranty

$\label{local_collinear_collinear} \textbf{COLORS} \quad \textbf{Due to printing limitations, shade may vary from actual product.}$

Standard







Calculate sustainability with Green Genie™ armstrongceilings.com/greengenie

VISUAL SELECTION

| | | | Dimensions | Unit of | INCL | UDED ACCESSO | RIES | Factory Miter | |
|----------------------------|-----------|-----------------------------|-----------------------|---------|-------|--------------|--------|---------------|---------------------|
| | Item No.◆ | Description | (Inches) | Measure | AXTBC | AXSPLICE2 | AX2HGC | Minimum* | |
| AXIOM® Classic | AX2STR | 2" Straight Perimeter Trim | 120 × 3/4 × 1-15/16" | PC | 5 | 1 | - | 21° | |
| Straight Perimeter Trim | r | | | | | | | | |
| | AX2STR12 | 2" Straight Perimeter Trim | 144 x 3/4 x 1 -15/16" | PC | 6 | 1 | - | 21° | |
| | AX3STR** | 3" Straight Perimeter Trim | 120 × 3/4 × 2-15/16" | PC | 5 | 1 | - | 21° | 3/4"- |
| | AX4STR | 4" Straight Perimeter Trim | 120 × 3/4 × 3-7/8" | PC | 5 | 2 | - | 21° | 52 |
| | AX4STR12 | 4" Straight Perimeter Trim | 144 × 3/ 4 × 3-7/8" | PC | 6 | 2 | - | 21° | ا ا |
| | AX6STR | 6" Straight Perimeter Trim | 120 × 3/4 × 5-13/16" | PC | 5 | 2 | - | 21° | Standard Heights |
| | AX6STR12 | 6" Straight Perimeter Trim | 144 × 3/4 × 5-13/16" | PC | 6 | 2 | - | 21° | ਸ ਹ |
| | AX8STR | 8" Straight Perimeter Trim | 120 × 3/4 × 7-13/16" | PC | 5 | 2 | - | 35° | |
| | AX10STR | 10" Straight Perimeter Trim | 120 × 3/4 × 10" | PC | 7 | 3 | 2 | 35° | |
| | AX12STR | 12" Straight Perimeter Trim | 120 × 3/4 × 12" | PC | 7 | 4 | 2 | 35° | |
| | AX14STR | 14" Straight Perimeter Trim | 120 × 3/4 × 14" | PC | 7 | 4 | 2 | 35° | |
| | AX16STR | 16" Straight Perimeter Trim | 120 × 3/4 × 16" | PC | 7 | 5 | 2 | 35° | |

VISUAL SELECTION

| | Item No. | Description | Length | PCS/CTN | |
|---|----------|-----------------------------|--------|---------|--|
| Axiom Classic Full Carton Packaging Sizes | AX2CTN | 2" Straight Perimeter Trim | 120" | 6 | |
| | AX3CTN | 3" Straight Perimeter Trim | 120" | 6 | |
| | AX4CTN | 4" Straight Perimeter Trim | 120" | 6 | |
| | AX6CTN | 6" Straight Perimeter Trim | 120" | 6 | |
| | AX8CTN | 8" Straight Perimeter Trim | 120" | 6 | |
| | AX10CTN | 10" Straight Perimeter Trim | 120" | 3 | |
| | AX12CTN | 12" Straight Perimeter Trim | 120" | 2 | |
| | | | | | |



Factory Mitered Minimums refers a cut that is made at an angle other than 90 degrees to achieve field assembled corners.
 AX3STR does not include architectural reveal on face, see CAD files for detail.
 When specifying or ordering items with a color or finish, add the two-, three-, or four-letter suffix to the end of the item number.



Declare.


PACKAGING

Calculate sustainability with Green Genie[™] armstrongceilings.com/greengenie


VISUAL SELECTION

| | Item No.◆ | Description | Dimensions (Inches) | Profile Height | Corners/CTN |
|--------------------------------|-----------|-------------------------------------|------------------------|-------------------|-------------|
| AXIOM® Classic Corner Posts | AX2ISCP | 2" Inside Corner Post | 3/4" x 3/4" | 2" | 4 |
| | AX20SCP | 2" Outside Corner Post | 7/8" x 7/8" | 2" | 4 |
| | AX4ISCP | 4" Inside Corner Post | 3/4" x 3/4" | 4" | 4 |
| | AX40SCP | 4" Outside Corner Post | 7/8" x 7/8" | 4" | 4 |
| | AX6ISCP | 6" Inside Corner Post | 3/4" x 3/4" | 6" | 4 |
| | AX60SCP | 6" Outside Corner Post | 7/8" x 7/8" | 6" | 4 |
| | AX8ISCP | 8" Inside Corner Post | 3/4" x 3/4" | 8" | 4 |
| | AX80SCP | 8" Outside Corner Post | 7/8" x 7/8" | 8" | 4 |
| | AX10ISCP | 10" Inside Corner Post | 3/4" x 3/4" | 10" | 4 |
| | AX100SCP | 10" Outside Corner Post | 7/8" x 7/8" | 10" | 4 |
| | AX12ISCP | 12" Inside Corner Post | 3/4" x 3/4" | 12" | 4 |
| | AX120SCP | 12" Outside Corner Post | 7/8" x 7/8" | 12" | 4 |
| AXIOM® Classic Pre-mitered | AX2QSIS | 2" Axiom Classic Inside QS Corner | 12" x 3/4" | 2" | 1 |
| Corners | AX2QSOS | 2" Axiom Classic Outside QS Corner | 12" x 3/4" | 2" | 1 |
| | AX4QSIS | 4" Axiom Classic Inside QS Corner | 12" x 3/4" | 4" | 1 |
| | AX4QSOS | 4" Axiom Classic Outside QS Corner | 12" x 3/4" | 4" | 1 |
| | AX6QSIS | 6" Axiom Classic Inside QS Corner | 12" x 3/4" | 6" | 1 |
| | AX6QSOS | 6" Axiom Classic Outside QS Corner | 12" x 3/4" | 6" | 1 |
| | AX8QSIS | 8" Axiom Classic Inside QS Corner | 12" x 3/4" | 8" | 1 |
| | AX8QSOS | 8" Axiom Classic Outside QS Corner | 12" x 3/4" | 8" | 1 |
| | AX10QSIS | 10" Axiom Classic Inside QS Corner | 12" x 3/4" | 10" | 1 |
| | AX10QSOS | 10" Axiom Classic Outside QS Corner | 12" x 3/4" | 10" | 1 |
| | AX12QSIS | 12" Axiom Classic Inside QS Corner | 12" x 3/4" | 12" | 1 |
| | AX12QSOS | 12" Axiom Classic Outside QS Corner | 12" x 3/4" | 12" | 1 |
| | AX14QSIS | 14" Axiom Classic Inside QS Corner | 12" x 3/4" | 14" | 1 |
| | AX14QSOS | 14" Axiom Classic Outside QS Corner | 12" x 3/4" | 14" | 1 |
| | AX16QSIS | 16" Axiom Classic Inside QS Corner | 12" x 3/4" | 16" | 1 |
| | AX16QSOS | 16" Axiom Classic Outside QS Corner | 12" x 3/4" | 16" | 1 |

Axiom corner posts eliminate angled miter cuts at corners for a fast and easy installation.







Axiom factory-mitered inside and outside corner pieces are created to match your Axiom trim channel order. Two 12" pieces are field-assembled to form one 90° mitered corner.



Outside Corner



Inside Corner

NOTE: Custom degree corners available.

[•] When specifying or ordering items with a color or finish, add the two-, three-, or four-letter suffix to the end of the item number.



Declare.

recyclable/ extended producer resp.

Calculate sustainability with Green Genie™ armstrongceilings.com/greengenie

ACCESSORIES

| Item No. | Description | |
|--------------------|---|---|
| AXAC* | Alignment Clip Sheet aluminum formed to fit into special trim channel bosses. Provides positive mechanical lock and screw-fastened connection to suspension members that intersect below the trim channel. | |
| AX2HGC | Hanging Clip Steel formed to fit into special trim channel bosses. Provides positive mechanical lock and screw-fastened connection to suspension members that intersect below the trim channel. | 0 |
| AXTBC AXTBCSS** | T-Bar Connection Clip Galvanized sheet steel formed to fit into special trim channel bosses. Provides positive mechanical lock with factory-installed screw. Screw-fastened connection to suspension members that intersect the trim channel. AXTBCSS – Stainless Steel version available for non-ferrous applications. | |
| 7239* | Adjustable Trim Clip Allows Axiom® trim to be positioned up to $3-3/4$ " below the grid face to accommodate deeper panel offsets (best aesthetic with Axiom ≥ 6 " tall). | |
| AXSPLICESS** | Axiom Splice Plate Stainless Steel for non-ferrous project applications. | |
| AXSPLICE2 | Axiom Splice Plate Galvanized sheet steel formed to fit into the trim channel bosses. Provides positive lock between abutting channels with factory-installed setscrews. | |
| AXSPTHDC* | Axiom Serpentina Hold-down Clip Steel metal panel hold-down clip used to secure the cut edges of metal ceilings at the Axiom/panel interface. | |

^{*} Items must be ordered separately.

PHYSICAL DATA

Material

Commercial quality 3003 aluminum alloy

Surface Finish

Factory-applied paint finishes 3SC - 360 Painted Standard Colors
(reference colors listed above)

3ZB/3ZW - 360 Painted Blizzard/Charcoal Finish 3RAL - 360 Painted RAL® Colors

3XX - 360 Painted Custom Colors, including metallic finishes SC- Standard Colors

(reference colors listed above)

ZW/ZB - Blizzard/Charcoal Finish

RAI - RAI

XX - Custom Colors, including metallic finishes ZZ - Wood-look

YY - Architectural Film Finish

Cleaning and CDC-approved disinfecting options available on armstrongceilings.com/cleaning

Design Considerations

Cleaning & Disinfecting

Physical product samples for standard and custom colors are available upon request. Please refer to the physical product sample prior to making a final selection. While we strive to

ensure exact color matches, various factors such as differences in materials, texture, substrate porosity, painting processes, lighting, and observer subjectivity can all affect how paint colors appear on ceiling and wall panels, suspension systems, and trim products. Due to these and other differences, ceiling and wall panels, trim products, and suspension systems with the same color name will coordinate but may not be an exact color match. Product is dye-lotted. Order sufficient initial quantities and attic stock to minimize possible color variation.

Warranty

10-Year Limited Warranty; 30-Year System Warranty

Nine standard height profiles available with 3/4" horizontal flange(s)



^{**} These will be provided in lieu of the aluminum accessories based on the application as needed.