

AXIOM® Light Coves – Indirect Field

For Specialty Ceilings



Axiom Indirect Light Coves

This extruded aluminum perimeter trim is a solution for use as exposed custom decorative trim with suspended panels or drywall.

KEY SELECTION ATTRIBUTES

- Axiom® Indirect Field Light Coves for Specialty Ceilings offer predictable lighting performance and perfect integration with selected Armstrong® Specialty Ceilings
- CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim
- Axiom Indirect Field Light Coves are part of the Sustain™ portfolio and meet the most stringent industry sustainability compliance standards today
- With our lighting partners, this pre-engineered solution offers a variety of options with both Ceiling-to-Wall and Ceiling-to-Ceiling light coves and sizes
- Pre-fabricated corners
- Ability to cut to the length desired in the field
- Adjustable trim clip allows for a range of 0" to 3-1/4" to accommodate your specialty panels
- 10-Year Limited Warranty, 30-Year System Warranty

TYPICAL APPLICATIONS

- Offices
- Corridors
- Restrooms
- Healthcare
- Lobbies
- Boardrooms
- Retail
- Retrofits

LIGHTING FIXTURES

Compatible with:
Axis Lighting and Vode® Lighting.



COLORS Due to printing limitations, shade may vary from actual product.

Axiom Trim Finish Selection



VISUAL SELECTION

Specify Indirect Light Cove Item Number

Example: AXIASLCC2 – Axiom Indirect Field Light Cove, Ceiling-to-Ceiling, 2" Classic Light

	Item No. ♦	Mounting	Edge Detail	Options
Straight	AXIASL_ _	CC – Ceiling-to-Ceiling CW – Ceiling-to-Wall	2 – 2" Classic KE – Knife Edge ACT	
Corner	AXIASL_ _	CC – Ceiling-to-Ceiling CW – Ceiling-to-Wall	2 – 2" Classic KE – Knife Edge ACT	IC – Inside Corner OC – Outside Corner

* Add an extra digit "2" before the color suffix as all of our Indirect Field Light Coves for Specialty Ceilings are painted inside and outside.

AXIOM® Light Coves – Indirect Field For Specialty Ceilings



Declare.

RECYCLED
CONTENT

UP TO
50%

LEED V5

Ecomedes Data

COMMON MATERIALS FRAMEWORK

Human Health

Declare Label

HPD

3rd Party CDPH

Climate Health

EPD

Ecosystem Health


EPD

Circular Economy




CORNER SELECTION


CORNERS for Classic Profiles




Ceiling-to-Ceiling
Inside Corner



Ceiling-to-Ceiling
Outside Corner




Ceiling-to-Wall
Inside Corner




Ceiling-to-Wall
Outside Corner


CORNERS for Knife Edge Profiles



Ceiling-to-Ceiling
Inside Corner



Ceiling-to-Ceiling
Outside Corner



Ceiling-to-Wall
Inside Corner



Ceiling-to-Wall
Outside Corner

COMPATIBLE SPECIALTY CEILINGS (CORNERS)

MetalWorks™

- Torsion Spring
- Linear
- Clip-On
- Open Cell
- 3D
- Synchro™
- Diverge™


WoodWorks®

- Grille
- Grille Tegular
- Concealed
- Torsion Spring
- Open Cell
- Linear


ACCESSORIES (7239 and AX4SPLICE are included with order)

Item No. Description


7239 Adjustable Trim Clip




AX4SPLICE Axiom Splice Plate



151220E 12' Knurled Angle Molding



DW90C 90° Drywall Angle Clip



SB12P StrongBack™ Support Hanger

DETAILS



Classic Ceiling-to-Ceiling



Knife Edge® Ceiling-to-Ceiling

NOTE: Elevations and shop drawings are required for the manufacturing of this product. Contact Armstrong Customer Service at 1 877 276 7876, select options 1-1-2 for a quote.



TRIM & TRANSITIONS – Standard

LIGHTING SOLUTIONS

AXIOM® Light Coves – Indirect Field

For Specialty Ceilings



Declare.

RECYCLED
CONTENT

UP TO
50%

LEED V5

Ecomedes Data

COMMON MATERIALS FRAMEWORK

Human Health

Declare Label

Climate Health

EPD

HPD

Ecosystem Health




EPD

3rd Party CDPH





Circular Economy



DETAILS



StrongBack®



LIGHTING SOLUTIONS

AXIOM® Light Coves – Indirect Field

For Specialty Ceilings



Declare.

RECYCLED
CONTENT

UP TO
50%

LEED V5


Ecomedes Data

COMMON MATERIALS FRAMEWORK

Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH	Circular Economy	✓

COMPATIBLE LIGHT FIXTURES

CovePerfekt™ by Axis Lighting




Outstanding Aesthetics

- No shadows. No bright spots. No color shifting.

Easy Specification

- Aim-free luminaire. No need for complex details. Less trade coordination.



Unparalleled Performance

- Twice the efficiency of other LED cove products.
- Wide distribution using SurroundLite™ technology.


Worry-free Installation & Maintenance

- Foolproof keyed mounting. Up to 90% less labor.



For more information: www.axislighting.com

ZipWave™ | LED | 707 by Vode® Lighting Perfect color, perfect beam, perfect alignment... every time



Exceptional Performance

- Low, standard and high outputs available
- High output over 1200 lm/ft.
- Customizable output and wattage options

Foolproof Installation

- Drop-in, tool-free installation with plug and play connections
- Runs 100' or more from one 120v power feed
- Section lengths in exact 1' (305mm) increments



For more information: www.vode.com/zipwave-led-707

PHYSICAL DATA

Material
Commercial quality 3003 aluminum alloy

Surface Finish
Factory-applied baked polyester paint finish

Warranty
10-Year Limited Warranty; 30-Year System Warranty

Profile
Various options with both Ceiling-to-Wall and Ceiling-to-Ceiling
Light Coves in a wide range of sizes with 3/4" horizontal flange.

Cross Tee/Main Beam Interface
Flush fit

End Detail
Splice with screws

Cleaning & Disinfecting
Cleaning and CDC approved disinfecting options available
on armstrongceilings.com/cleaning

ICC Reports

For areas under ICC jurisdiction, see evaluation report numbers ESR-1289 and ESR-1308 for allowable values and/or conditions of use concerning the suspension system components listed on this page. The reports are subject to reexamination, revisions, and possible cancellation.

Application Considerations

Axiom Indirect Light Coves cannot be curved.

TechLine / 1 877 276-7876
armstrongceilings.com/lightcoves
BPCS-6409-925

CovePerfekt™ is a trademark of Axis Lighting; Vode® And ZipWave™ are trademarks of Vode Lighting LLC; LEED® is a registered trademark of the U.S. Green Building Council; Declare® and Living Building Challenge® (LBC) are registered trademarks of the International Living Future Institute®; WELL™ and Well Building Standard are trademarks of the International WELL Building Institute; all other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates © 2025 AWI Licensing LLC

Armstrong®
World Industries

TRIM & TRANSITIONS – Standard

