

**new** AXIOM® Light Covers – Indirect  
For Specialty Ceilings



**SUSTAIN™**  
High Performance  
Sustainable  
Ceiling Systems



▲ Axiom Indirect Light Covers

This extruded aluminum perimeter trim is a solution for use as exposed custom decorative trim with suspended panels or drywall.

**KEY SELECTION ATTRIBUTES**

- Axiom® Indirect Field Light Covers for Specialty Ceilings offer predictable lighting performance and perfect integration with selected Armstrong® Specialty Ceilings
- CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim
- Axiom Indirect Light Covers are part of the Sustain™ portfolio and meet the most stringent industry sustainability compliance standards today
- With our lighting partners, this pre-engineered solution offers a variety of options with both Ceiling-to-Wall and Ceiling-to-Ceiling light covers and sizes
- Pre-fabricated corners
- Ability to cut to the length desired in the field
- Adjustable trim clip allows for a range of 0" to 3-1/4" to accommodate your specialty panels
- 10-Year Limited Warranty, 30-Year System Warranty

**TYPICAL APPLICATIONS**

- Offices
- Corridors
- Restrooms
- Healthcare
- Lobbies
- Boardrooms
- Retail
- Retrofits


**LIGHTING FIXTURES**

Compatible with:  
Axis Lighting and Vode® Lighting.



**COLORS** Due to printing limitations, shade may vary from actual product.

**Axiom Trim Finish Selection**



\* Colors that are pre-qualified to meet Sustain™ portfolio requirements are available upon request. Other made-to-order colors must be evaluated if sustainability criteria is required. Lead time will increase.

**VISUAL SELECTION**

Specify Indirect Light Cove Item Number

Example: AXIASLCC2 – Axiom Indirect Field Light Cove, Ceiling-to-Ceiling, 2" Classic Light

	Item No. ♦	Mounting	Edge Detail	Options
Straight	AXIASL_ _	CC – Ceiling-to-Ceiling CW – Ceiling-to-Wall	2 – 2" Classic KE – Knife Edge ACT	
Corner	AXIASL_ _	CC – Ceiling-to-Ceiling CW – Ceiling-to-Wall	2 – 2" Classic KE – Knife Edge ACT	IC – Inside Corner OC – Outside Corner

\* Add an extra digit "3" before the color suffix as all of our Indirect Field Light Covers for Specialty Ceilings are painted inside and outside.

**new** AXIOM® Light Covers – Indirect  
For Specialty Ceilings



**LEED WELL LBC**

**50% RECYCLED CONTENT**


energy management  
construction waste mgmt  
regional materials  
design for flexibility  
EPD  
recyclable/excimer producer resp.  
biobased materials  
recycled content  
sourcing of raw materials  
material ingredient reporting  
low emitting materials  
lighting quality  
acoustics

Calculate sustainability with GreenGenie™  
armstrongceilings.com/greengenie


LOCATION DEPENDENT

**CORNER SELECTION**


**CORNERS for Classic Profiles**




Ceiling-to-Ceiling  
Inside Corner



Ceiling-to-Ceiling  
Outside Corner




Ceiling-to-Wall  
Inside Corner




Ceiling-to-Wall  
Outside Corner


**CORNERS for Knife Edge Profiles**




Ceiling-to-Ceiling  
Inside Corner



Ceiling-to-Ceiling  
Outside Corner



Ceiling-to-Wall  
Inside Corner



Ceiling-to-Wall  
Outside Corner

**COMPATIBLE SPECIALTY CEILINGS (CORNERS)**

**MetalWorks™**

- Torsion Spring
- Linear
- Clip-On
- Open Cell
- 3D
- Synchro™
- Diverge™

**WoodWorks®**

- Grille
- Grille Tegular
- Concealed
- Torsion Spring
- Open Cell
- Linear

**ACCESSORIES** (7239 and AX4SPLICE are included with order)

Item No.	Description	
7279	Adjustable Trim Clip	
AX4SPLICE	Axiom Splice Plate	
151220E	12' Knurled Angle Molding	
DW90C	90° Drywall Angle Clip	
SB12P	StrongBack™ Support Hanger	

**DETAILS**



Classic Ceiling-to-Ceiling



Knife Edge® Ceiling-to-Ceiling

**NOTE:** Elevations and shop drawings are required for the manufacturing of this product.  
Contact Armstrong Customer Service at 1 877 276 7876, select options 1-1-2 for quotation.



TRIM & TRANSITIONS – Standard



# LIGHTING SOLUTIONS

## AXIOM® Light Covers – Indirect

For Specialty Ceilings



SUSTAIN™  
High Performance  
Sustainable Ceiling Systems

Declare.

LEED® WELL™ LBC




50% RECYCLED CONTENT

- energy management
- construction waste mgmt
- regional materials
- design for flexibility
- EPD
- recyclable/extended producer resp.
- biobased materials
- recycled content
- sourcing of raw materials
- material ingredient reporting
- low emitting/low materials
- lighting quality
- acoustics





Calculate sustainability with GreenGenie™  
armstrongceilings.com/greengenie

LOCATION DEPENDENT

### DETAILS



StrongBack®



TRIM & TRANSITIONS – Standard



LIGHTING SOLUTIONS  
**AXIOM® Light Covers – Indirect**  
 For Specialty Ceilings



**LEED® WELL | LBC**

**50% RECYCLED CONTENT**

energy management  
 construction waste mgmt  
 regional materials  
 design for flexibility  
 EPD  
 recyclable/producer resp.  
 biobased materials  
 recycled content  
 sourcing of raw materials  
 material ingredient reporting  
 low emitting materials  
 lighting quality  
 acoustics

Calculate sustainability with GreenGenie™  
 armstrongceilings.com/greengenie

LOCATION DEPENDENT

**COMPATIBLE LIGHT FIXTURES**

**CovePerfekt™ by Axis Lighting**




**Outstanding Aesthetics**

- No shadows. No bright spots. No color shifting.

**Easy Specification**

- Aim-free luminaire. No need for complex details. Less trade coordination.



**Unparalleled Performance**

- Twice the efficiency of other LED cove products.
- Wide distribution using SurroundLite™ technology.


**Worry-free Installation & Maintenance**

- Foolproof keyed mounting. Up to 90% less labor.



For more information: [www.axislighting.com](http://www.axislighting.com)

**ZipWave™ | LED | 707 by Vode® Lighting** Perfect color, perfect beam, perfect alignment... every time



**Exceptional Performance**

- Low, standard and high outputs available
- High output over 1200 lm/ft.
- Customizable output and wattage options

**Foolproof Installation**

- Drop-in, tool-free installation with plug and play connections
- Runs 100' or more from one 120v power feed
- Section lengths in exact 1' (305mm) increments



For more information: [www.vode.com/zipwave-led-707](http://www.vode.com/zipwave-led-707)

**PHYSICAL DATA**

**Material**  
 Commercial quality 3003 aluminum alloy

**Surface Finish**  
 Factory-applied baked polyester paint finish

**Warranty**  
 10-Year Limited Warranty; 30-Year System Warranty

**Profile**  
 Various options with both Ceiling-to-Wall and Ceiling-to-Ceiling Light Covers in a wide range of sizes with 3/4" horizontal flange.

**Cross Tee/Main Beam Interface**  
 Flush fit

**End Detail**  
 Splice with screws

**Cleaning & Disinfecting**  
 Cleaning and CDC approved disinfecting options available on [armstrongceilings.com/cleaning](http://armstrongceilings.com/cleaning)

**ICC Reports**  
 For areas under ICC jurisdiction, see evaluation report numbers ESR-1289 and ESR-1308 for allowable values and/or conditions of use concerning the suspension system components listed on this page. The reports are subject to reexamination, revisions, and possible cancellation.

**Application Considerations**  
 Axiom Indirect Light Covers cannot be curved.

TechLine / 1 877 276-7876  
[armstrongceilings.com/lighting](http://armstrongceilings.com/lighting)  
 BPCS-6409-621

CovePerfekt™ is a trademark of Axis Lighting; Vode® And ZipWave™ are trademarks of Vode Lighting LLC; LEED® is a registered trademark of the U.S. Green Building Council; Declare® and Living Building Challenge® (LBC) are trademarks of the International Living Future Institute®; WELL™ and Well Building Standard are trademarks of the International WELL Building Institute; all other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates © 2021 AWI Licensing LLC

