

INVISACOUSTICS™

Wall Panels
smooth texture



Declare.

RECYCLED
CONTENT

UP TO
84%

LEED V5

COMMON MATERIALS FRAMEWORK		
Human Health	Declare Label HPD	Climate Health EPD
	3 rd Party CDPH	Ecosystem Health EPD
OCCUPANT EXPERIENCE		Circular Economy
		Acoustics




InvisAcoustics™ 24" × 48" panels

Smooth-textured, hidden acoustical solution that installs directly to walls using ceiling adhesive.

KEY SELECTION ATTRIBUTES

- InvisAcoustics™ panels are part of the Sustain® portfolio and meet the most stringent industry sustainability compliance standards today (white and field paintable panels only)
- Wall installation – 6' from the ground or higher
- CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim (cleaning and CDC recommended disinfecting options available on armstrongceilings.com/cleaning)
- Good acoustical absorption – NRC up to 0.75
- Field paintable panels can be sprayed same color as wall
- Smooth, clean durable finish –
 - Impact-resistant
 - Scratch-resistant
 - Soil-resistant
- Panels cut easily to fit into any space

PANEL COLORS*



*NOTE: Ceiling Panels are dye-lotted and should be separated by dye lot. Do not mix.

VISUAL SELECTION












Item No.	Dimensions (Inches)
INVISACOUSTICS™ Standard Sizes	24 × 48 × 3/4"
3/4" Square	
(on 48" sides)	

3/4" Square	1212BL*	24 × 48 × 3/4"
(on 24" sides)		

3/4" Square	1212FP	24 × 48 × 3/4"
-------------	--------	----------------

PERFORMANCE

Dots represent high level of performance.

Fire Rating	(White only)	Bio-Block	Humi-Guard+	CleanAssure™ Disinfectable Walls	DURABILITY				Recycle Program	10-Yr Warranty
Light Reflect	Anti-Mold/ Mildew	Sag Resist	Certified Low VOC Emissions	Fog	Impact	Scratch	Soil			
										
Class A	N/A	*	*	*	*	*	*	*	*	*
Class A	N/A	*	*	*	*	*	*	*	*	*
Class A	N/A	*	*	*	*	*	*	*	*	*

ACOUSTICAL INFORMATION

Panel Thickness	NRC	Mounting Methods
3/4"	0.75*	D-20
3/4"	0.70*	A

¹ Total Acoustics® ceiling panels have an ideal combination of noise reduction and sound-blocking performance in one product.

* Tech Black panels are not included in the Sustain® portfolio

PHYSICAL DATA: (Refer to InvisAcoustics product page in the Direct-to-Structure section)