

**METALWORKS™**  
Accent & Acoustical Canopies  
smooth texture

*Custom looks  
with standard  
products*



**24/7  
DEFEND™**  
Solutions for Healthier,  
Safer Spaces

CONTAIN CLEAN PROTECT

CAD/Revit® drawings at:  
[armstrongceilings.com/cadrevit](http://armstrongceilings.com/cadrevit)




▲ MetalWorks™ Canopies in White

Durable and sleek metal canopies define and accentuate spaces.


**KEY SELECTION ATTRIBUTES**

- Great aesthetic from above and below
- Easy installation
- Adjustable to special heights and angles
- Three panel types – flat, hill, valley
- **new** CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim
- Durable – easy to clean and maintain
- Excellent acoustical performance

**COLORS** Due to printing limitations, shade may vary from actual product.



**PERFORATION OPTIONS** (1:2 scale shown)



# METALWORKS™

Accent & Acoustical Canopies  
smooth texture

**LEED® WELL™ LBC**

UP TO **25% RECYCLED CONTENT**

energy management  
construction waste mgmt  
regional materials  
design for flexibility




EPD  
recyclable/recycled content  
biobased materials  
recycled content  
sourcing of raw materials  
material ingredient reporting  
low emitting materials  
lighting quality  
acoustics

Calculate sustainability with GreenGenie™  
armstrongceilings.com/greengenie

LOCATION DEPENDENT

WITH INFILL PANEL

## VISUAL SELECTION

Item No. ♦	Shape	Dimensions (Inches)
METALWORKS™ 5375H6_ _ _ _	Hill	74-1/2 x 46-1/2 x 1-1/2"
		
5375V6_ _ _ _	Valley	74-1/2 x 46-1/2 x 1-1/2"
		
5375F6_ _ _ _	Flat	74-1/2 x 46-1/2 x 1-1/2"
		

## PERFORMANCE

Dots represent high level of performance.

Fire Rating	Light Reflect	Fog & Spray	Wipe	Wash	Scrub	Impact	Soil	DURABILITY	
								CleanAssure™ Disinfectable Panels	(White only)
Class A	0.90	•	•	•	•	•	•	•	•
Class A	0.90	•	•	•	•	•	•	•	•
Class A	0.90	•	•	•	•	•	•	•	•

## ACCESSORIES

Item No.	Description
8149L8CR	The MetalWorks™ Canopies Deck Hanging Kit suspends canopies from the deck, allowing adjustment of height. <b>Kit Contents:</b> (2) Gripper Structure Anchors (2) Gripper Structure Caps (2) 8' Aircraft Cables (2) Bottom End Cable Adjusters Two kits are required to hang each MetalWorks Canopy (ordered separately from canopy).

♦ When specifying or ordering, include the appropriate 2-digit perforation code and 2-digit color suffix (e.g. 5375H6 M 2 W H)  
For details, contact TechLine at 1 877 276-7876.

## PHYSICAL DATA

**Material**  
Galvanized Steel

**Panel Arc**  
Hill or Valley – 7-7/8"

**Surface Finish and Edge Detail**  
Factory-applied post-production powder-coated finish;  
Light reflectance 0.75 – White unperforated only  
Curved (hill/valley) – edge detail width;  
45° angle, edge detail length: 90° angle

**Fire Performance**  
Class A: Flame Spread Index 25 or less and Smoke Developed Index 50 or less when tested in accordance with ASTM E84.

MetalWorks™ Canopies, as with other architectural features located in the ceiling plane, may obstruct or skew the existing or planned fire sprinkler water distribution pattern, or possibly delay the activation

of the fire sprinkler or fire detection system. Designers and installers are advised to consult a fire protection engineer, NFPA 13, and their local codes for guidance on the proper installation techniques where fire detection or suppression systems are present.

**ASTM E1264 Classification**  
Fire Class – Class A

**Acoustical Performance**  
M2 Perforated with fiberglass infill – sound absorption 1.25  
M3 Extra Microperforated with fiberglass infill – sound absorption 1.15

**Design Considerations**  
MetalWorks Canopies are not approved for exterior application. The MetalWorks Canopies cable-hanging system must not hang from any commercial ceiling suspension system. The canopy must not be used to support any other material.

**Installation Consideration**  
MetalWorks Canopies require two people to handle and install a panel safely. See installation instructions on website for details.

**Seismic Restraint**  
Refer to ASCE 7-10, Section 13.5 Architectural Components, for seismic requirements. Section 13.5, item 2 refers to 13.2.3 Consequential Damage.

**Cleaning and Disinfecting**  
Cleaning and CDC approved disinfecting options available on armstrongceilings.com/cleaning

**Suspension System**  
Deck Hanging Kit (Item 8149L8CR) is ordered separately.

**Warranty**  
Details at armstrongceilings.com/warranty /warranty

**Weight**  
Hill or Valley 62.4 lbs; one canopy per carton  
Flat 52 lbs; one canopy per carton

