



METALWORKS™ Open Cell *Custom looks with Standard Products*  
 Square Lay-in  
 smooth texture

CAD/Revit® drawings at:  
[armstrongceilings.com/cadrevit](http://armstrongceilings.com/cadrevit)



plus capabilities  
 to do more



▲ MetalWorks™ Open Cell 8" Lay-in panels in White


[armstrongceilings.com/capabilities](http://armstrongceilings.com/capabilities)  
 See more photos at:  
[armstrongceilings.com/photogallery](http://armstrongceilings.com/photogallery)

Durable Open Cell panels are 100% accessible and offer a clean, modern design option.

KEY SELECTION ATTRIBUTES

- Open look with crisp, white finish
- Variety of design options
- Helps mask the plenum
- Lay-in system is fast and easy to install in a standard suspension system
- Select products included in the FAST134 program – ready to ship in 4 weeks or less
- Framed 24" x 24" panels create seamless visual; no need for painted grid
- Durable post-production powder-coated finish

COLORS Due to printing limitations, shade may vary from actual product.



# METALWORKS™ Open Cell

Square Lay-in  
smooth texture

**LEED® WELL™ LBC**

UP TO **20% RECYCLED CONTENT**

Calculate sustainability with GreenGenie™  
armstrongceilings.com/greengenie



- energy management
- construction waste mgmt
- regional materials
- design for flexibility
- EPD
- recyclable/producer resp.
- biobased materials
- recycled content
- sourcing of raw materials
- material ingredient reporting
- low emitting materials
- lighting quality
- acoustics

LOCATION DEPENDENT

WITH INFILL PANEL

## VISUAL SELECTION

Item No.	Dimensions Nominal W x L (Inches) Custom Sizes Available	Interior Cell Size	% Open Area	Fire Performance
<b>6188M1WH</b>	24" x 24"	3"	75%	Class A
<b>6189M1WH</b>	24" x 24"	4"	81%	Class A
<b>6193M1WH</b>	24" x 24"	6"	87%	Class A
<b>6194M1WH</b>	24" x 24"	8"	90%	Class A



Installs in standard 9/16" T-Bar suspension system



**FAST134** program items ready to ship from manufacturer in 4 weeks or less. Up-to-date lead times and product options (sizes and colors) at [armstrongceilings.com/fast134](http://armstrongceilings.com/fast134).

## ACCESSORIES

Item No.	Description	Item No.	Description
<b>6106M1WH</b>	3" Metal Infill Panel	<b>6108M1WH</b>	6" Metal Infill Panel
<b>6107M1WH</b>	4" Metal Infill Panel	<b>6109M1WH</b>	8" Metal Infill Panel

NOTE: Adjustable Trim Clip used with standard Axiom® or MetalWorks Trim systems.

## PHYSICAL DATA

**Material**  
Aluminum, 0.016" thick

**Dimensions**  
Panel: Nominal 24 x 24 x 1-1/2" blade height x 9/16" blade width (matches 9/16" suspension system)

**Interior Cell Sizes**  
3", 4", 6", and 8"  
Custom cell sizes also available upon request as premium options.

**Surface Finish**  
Standard white in a powder-coated, post-production painted finish, as well as Custom colors. Contact TechLine for custom color matching requests.

**Fire Performance**  
Class A: ASTM E84 surface burning characteristics. Flame Spread Index 25 or less. Smoke Developed Index 50 or less.

**Fire Performance with Sprinklers**  
MetalWorks™ Open Cell ceilings may affect the planned fire sprinkler water distribution pattern, or possibly delay or accelerate the activation of the sprinkler or fire detection systems by channeling heat from a fire either toward or away from the device.  
Designers and installers are advised to consult a fire protection engineer, NFPA 13, and local codes for guidance where automatic fire detection and suppression systems are present.

**Design Considerations**  
It is recommended to install full size panels. The inside of the Channel Molding (item 7835) is unfinished and will be visible if the full size panel is field modified.

**Seismic Restraint**  
MetalWorks Open Cell Lay-in panels have been engineered, tested, and approved for application in all seismic areas when installed per Armstrong installation instructions.

**FAST134 Program Considerations**  
Size of Job Matters: Big jobs, over 2500 SF or 50 pieces for shapes/vertical elements will have longer lead times.  
Location Matters: Transit time not included. We are ready to ship in 1 week on FAST1 items. However, transit to the states west of Wyoming may add time.  
Distributor Truck Schedule Matters: We rely on distribution to help move products around the country. When speed matters, work with your local distributor to ensure FAST134 service.  
Stock vs Made-to-Order Matters: FAST3 & FAST4 items are made-to-order and will ship direct to distributor. FAST1 (stocked items) will go through distribution and depend on distributor truck schedules.

**Warranty**  
Details at [armstrongceilings.com/warranty](http://armstrongceilings.com/warranty)

**Weight/Carton**  
Ranges from 7-20 lbs/ctn depending on interior cell size

**Square Feet/Carton**  
40 SF/ctn (panels)



METALWORKS™ – Standard