
METALWORKS™ Plank

Hook-on smooth texture





MetalWorks™ Plank Microperforated panel in Silver Grey

See more photos at: armstrongceilings.com/photogallery

Durable, steel hook-on planks with 1/8" reveal.

KEY SELECTION ATTRIBUTES

- · Crisp visual with narrow 1/8" reveal
- · Good NRC with acoustical fleece (perforated pattern)
- · Economical option with fast delivery



- · Select products included in the FAST134 program – ready to ship in 4 weeks or less
- · Durable Washable, Scrubbable, Impact-resistant, Soil-resistant



PERFORATION OPTIONS (1:2 scale shown)



M1 M2 (Unperforated) (Microperforated)

DETAILS



MetalWorks Plank Microperforated

METALWORKS™ Plank

Hook-on smooth texture



ACOUSTICAL INFORMATION

LOCATION DEPENDENT

Dots represent high

PERFORMANCE level of performance.

WITH
INFILL
PANEL

VISUAL SELECTION

				ance	(White only)	DURABILITY			
	ltem No.◆	Dimensions Nominal W x L (Inches)	Perforations	Fire Performance	Light Reflect	Wash	Scrub	Impact	Soil
METALWORKS™ Plank	5330	16" x 72"	M1	Class A	0.73	۰	0	۰	•
	5331	16" x 72"	M2	Class A	N/A	٠	٠	٠	•
	5332	16" x 96"	M1	Class A	0.73	٠	٠	٠	•
	5333	16" x 96"	M2	Class A	N/A	۰	•	۰	•



FAST134 program items ready to ship from manufacturer in 4 weeks or less. Up-to-date lead times and product options (sizes and colors) at armstrongceilings.com/fast134

Perforation	ı	NRC NRC	CAC
M1	Unperforated	N/A	36
M2	Microperforated	0.70**	31*

- * With optional field-cut #747 mineral fiber back-For more information on acoustical infill panels, visit armstrongceilings.com/mwaccessories
- ** With acoustical fleece only

◆ When specifying or ordering, include the appropriate two-digit color suffix with the item number (e.g., 5330 <u>W</u> <u>H</u>; 5332 <u>S</u> <u>G</u>). Light reflectance is for White only.

ACCESSORIES					
	Item No.◆	Description	Length	Pieces/Carton	
<u>. </u>	5336	4-1/2" Plank Trim	10'	5	
	5337	Seismic Spring	N/A	100	
	M311081	Pressure Spring	N/A	100	
	M330011A	F Shadow Gap Wall Angle RASF – WH	10'	10	
	M330003A	F Wall Angle RA4F – WH	10'	10	
	M330005A	F Wall Angle RA4F - SG	10'	10	

SUSPENSION SYSTEMS Description Pieces/Carton Item Number Length HD8906 12' Heavy-duty Drywall Main Beam 12' 12 5335 4' Hook-on Cross Tee Assembly 4 10

PHYSICAL DATA

Electrogalvanized steel - thickness 0.028"

Surface Finish

Factory-applied, powder-coated finish (post-coated)

Fire Performance

Class A: Flame Spread Index 25 or less. Smoke

Developed Index 50 or less.

Design Considerations

If non-standard sizes, colors, or perforations are needed. call 1877 276-7876 for TechLine, or contact your Armstrong Ceilings representative to review the MetalWorks™ RH200 Custom Plank system. Install with minimum plenum clearance. Installation Consideration

Cut panels are non-accessible

Recommended Suspension System

Drywall Heavy-duty main beams with MetalWorks™ Plank Hook-on cross tees, as listed above.

Seismic Restraint

MetalWorks™ Plank have been engineered, tested, and approved for application in all seismic areas, when installed per Armstrong Ceilings installation instructions.

FAST134 Program Considerations

Size of Job Matters: Big jobs, over 2500 SF or 50 pieces for shapes/vertical elements will have longer lead times.

Location Matters: Transit time not included. We are ready to ship in 1 week on FAST1 items. However, transit to the states west of Wyoming may add time.

Distributor Truck Schedule Matters: We rely on distribution to help move products around the country. When speed matters, work with your local distributor to ensure FAST134 service.

Stock vs Made-to-Order Matters: FAST3 & FAST4 items are made-to-order and will ship direct to distributor. FAST1 (stocked items) will go through distribution and depend on distributor truck schedules.

Details at armstrongceilings.com/warranty

Weight; Panels/Carton 0.88 lbs/SF; 4 panels/ctn

