

# METALWORKS™ RH215

## Custom Flat & Faceted Ceiling Systems

smooth texture



MetalWorks™ RH215 Custom Barrel Vault with perforation R93013 in custom color

Durable, steel panels offer a 1/4" reveal and 100% downward accessibility.

### KEY SELECTION ATTRIBUTES

- Now available in 17 Effects™ wood-look finishes
- Now transform your images onto custom perforated MetalWorks™ Create!™ ceiling and wall panels for a unique aesthetic plus acoustical performance
- Cost-effective solution for a curved look with flat panels faceted on a curved suspension system
- Utilizes a curved 1-bar suspension system with rectangular hook-on (RH) panels
- Variety of perforations and colors available
- All panels are downward accessible without the use of tools
- Typical panel dimensions range from 9'- 24" wide and up to 96" long
- Engineered and tested for use in seismic zones
- Class A fire performance

## CREATE!™

### CUSTOM PERFORATIONS



Art and acoustics blend with MetalWorks™ Create!™ custom perforated panels. More at: [armstrongceilings.com/metalworkscree](http://armstrongceilings.com/metalworkscree)

### plus capabilities to do more



[armstrongceilings.com/capabilities](http://armstrongceilings.com/capabilities)  
See more photos at:  
[armstrongceilings.com/photogallery](http://armstrongceilings.com/photogallery)

# METALWORKS™ RH215

## Custom Flat & Faceted Ceiling Systems

smooth texture

LEED® WELL | LBC

UP TO 25% RECYCLED CONTENT

energy management

construction waste mgmt

regional materials

design for flexibility

EPD

recyclable/ biobased materials

recycled content

sourcing of raw materials

material ingredient reporting

low emitting/ materials

lighting quality

acoustics


For LEED contribution contact TechLine

LOCATION DEPENDENT


### STANDARD COLORS & FINISHES

Due to printing limitations, shade may vary from actual product.

#### MetalWorks™ – Painted



#### MetalWorks™ – Steel



#### Effects™ Classic Dye-Sublimation



#### Effects™ Bold Dye-Sublimation




#### Effects™ Subtle Dye-Sublimation



Effects finishes are standard in 24" x 48" with 1/4" reveal panels in M1 and M16.  
Contact AS Quote for custom size and perforation options.

### STANDARD PERFORATION OPTIONS

(1:2 scale shown)



### CUSTOM COLORS & FINISHES

Due to printing limitations, shade may vary from actual product.



For custom options contact ASQuote,  
ASQuote@armstrongceilings.com

### PERFORATION OPTIONS





METALWORKS™ - Standard



**Armstrong®**  
World Industries

<b>LEED® WELL™ LBC</b> UP TO <b>25%</b> RECYCLED CONTENT	energy management	construction waste mgmt	regional materials	design for flexibility	EPD	recyclable/extended producer resp.	bi-based materials	recycled content	sourcing of raw materials	material ingredient reporting	low emitting/ materials	lighting quality	acoustics
	For LEED contribution contact TechLine												

The RH215 Faceted System provides a more cost-effective solution for a curved look with straight-edge panels.



**Material**  
Standard material is electrogalvanized steel. Aluminum is also available. Consult the Armstrong Architectural Specialties Group.

**Panel Dimensions**  
Typical panel dimensions range from 9" to 24" wide and up to 96" long. Our Armstrong Architectural Specialties project management team is available to assist in project design.

Factory-applied powder-coated (post-coated) finish. The Hook-On plank systems offer an extensive range of ceiling options for maximum design and installation flexibility.

MetalWorks™ custom steel systems have been engineered and tested for applications in seismic zones. Most systems meet requirements for seismic zones 3-4 and categories D, E and F. Contact Armstrong Architectural Specialties for specific test information details and installation instructions.

Perforated custom panels are usually supplied with factory installed, black, sound absorbent acoustical fleece. Fiberglass infill panels are also available.

Class A per IBC

Project management assistance is available by calling TechLine customer support at 1 877 276 7876.