

METALWORKS™ WH1000
 METALWORKS™ WH1100
 Custom Flat & Curved Wall Systems
 smooth texture

*Available with
 Create! Custom
 Perforated Panels*



MetalWorks WH1000 wall panels with custom perforation

The MetalWorks™ WH1000 and MetalWorks™ WH1100 aluminum wall systems are versatile custom systems for metal plank designs offering a broad range of panel sizes, perforations, and finishes.

KEY SELECTION ATTRIBUTES

- Available in standard colors and 17 Effects™ wood-look finishes
- Custom colors and wood-look options available
- Smooth visual with durable metal panels - perfect for high-traffic areas
- Variety of edge detail options
- Acoustical options offer a wide choice of standard and custom perforations
- Available in many sizes and shapes
- Configurable system to meet your design needs
- Fully concealed suspension system
- MetalWorks™ FASTPeel™ panels feature an easier-to-remove protective film




CREATE!™
 CUSTOM PERFORATED PANELS



Art and acoustics blend with MetalWorks™ Create!™ custom perforated panels. More at: armstrongceilings.com/metalworkscreeate

plus capabilities
 to do more



armstrongceilings.com/capabilities
 See more photos at:
armstrongceilings.com/photogallery



*Explore the
 WH1000 and
 WH1100 Brochure*

METALWORKS™ WH1000 METALWORKS™ WH1100

Custom Flat & Curved Wall Systems
smooth texture

LEED WELL LBC

15% RECYCLED CONTENT

For LEED contribution contact TechLine


- energy management
- construction waste mgmt
- regional materials
- design for flexibility
- EPD
- recyclable/producer resp.
- biobased materials
- recycled content
- sourcing of low materials
- material ingredient reporting
- low emitting materials
- lighting quality
- acoustics

LOCATION DEPENDENT

WITH INFILL PANEL

STANDARD COLORS & FINISHES Due to printing limitations, shade may vary from actual product.

MetalWorks™ - Painted



Effects™ Classic
Dye-Sublimation



Effects™ Bold
Dye-Sublimation




Effects™ Subtle
Dye-Sublimation



Contact AS Quote for custom size and perforation options.

PERFORATION OPTIONS (1:2 scale shown)



ACOUSTICAL INFORMATION

	NRC
M6 with Fleece	0.60
M10 with Fleece	0.60

CUSTOM COLORS Due to printing limitations, shade may vary from actual product.



For custom options contact ASQuote,
ASQuote@armstrongceilings.com

PERFORATION OPTIONS



METALWORKS™ WH1000
 METALWORKS™ WH1100
 Custom Flat & Curved Wall Systems
 smooth texture

LEED® WELL™ LBC


15% RECYCLED CONTENT

For LEED contribution contact TechLine

energy management	construction waste mgmt	regional materials	design for flexibility	EPD	recyclable/extended producer resp.	biobased materials	recycled content	sourcing of raw materials	material ingredient reporting	low emitting/low VOC materials	lighting quality	acoustics
LOCATION DEPENDENT												WITH INFILL PANEL

INSTALLATION DETAILS

WH1000 and WH1100 Wall Panel



PHYSICAL DATA – ALUMINUM WALL PANEL SYSTEM

Panel Dimensions
 Typical panel dimensions range from 5" to 39" wide up to 118" long for vertical installations and 5" to 39" long for horizontal installations. The WH1000/WH1100 system features larger size panels and gasketed 5mm joints. Project management assistance is available by calling TechLine at 1 877 276-7876.

Material
 Standard material is 0.063" aluminum.

Surface Finishes
 Painted: Factory-applied polyester paint
 Effects™: Powder-coated, dye-sublimation, post-production
 Custom colors and finishes available.

Fire Performance
 ASTM E84 surface burning characteristics. Flame Spread Index 25 or less. Smoke Developed Index 50 or less. Fire Class A.

Acoustical Options
 Perforated Custom panels are usually supplied with factory-installed black, sound absorbent acoustical fleece. Fiberglass and mineral fiber infill panels are also available.

Design Considerations
 All WH1000/WH1100 projects will be supported by our project management team with full shop drawings to support the submittal and installation process.

Installation Considerations
 Panels with certain product finishes, e.g., Effects™ and Natural Reflections, are not MetalWorks™ FASTPeel™ panels and will be protected by other means for packaging and handling purposes.

Design Support
 For design assistance contact ASQuote@armstrongceilings.com

Cleaning and Disinfecting
 Cleaning and CDC-approved disinfecting options available on armstrongceilings.com/cleaning

Warranty
 One (1) year limited warranty.
 Details at armstrongceilings.com/warranty

CUSTOM WALLS