

TECTUM® Finale™

Acoustical Custom Ceiling & Wall Panels

coarse texture


For LEED contribution visit
armstrongceilings.com/greengenie



LOCATION DEPENDENT



Tectum® Finale™ Ceiling Panels




armstrongceilings.com/capabilities
 See more photos at:
armstrongceilings.com/photogallery

Tectum® Finale™ high NRC ceilings and walls provide durable, sustainable, acoustical solutions for a wide variety of applications.


KEY SELECTION ATTRIBUTES

- Composite panel design combines Tectum panel and acoustical absorptive material in one for maximum sound control and efficient installation
- Excellent Noise Absorption NRC up to 1.0* for maximum sound absorption (2" panels)
- Panel sizes in 1", 1-1/2", and 2" thickness; widths: 23-3/4" to 47-3/4"; lengths: 48" to 144"
- Available in White, Natural, and custom colors
- Abuse resistant for active spaces
- Long edges beveled, square ends
- Can be mechanically fastened to a wide variety of surfaces including masonry, drywall, wood, and more

COLORS Due to printing limitations, shade may vary from actual product.



DETAILS



Tectum® Finale™ Wall Panels

Product	Panel Thickness	Acoustics		Weight (Sq. Ft)
		A Mounting	NRC	
Finale™ Ceiling & Wall Panels	1" with integral Minwool insert & 1" furring	0.85	0.85	3.00 lbs/SF
	1-1/2" with integral Minwool insert & 1-1/2" furring	0.90	0.90	3.50 lbs/SF
	2" with integral Minwool insert & 2" furring	1.00	1.00	4.06 lbs/SF

TechLine / 1 877 276-7876
armstrongceilings.com/tectum

BPCS-5634-1218

All other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates. © 2018 AWI Licensing LLC
 Printed in the United States of America

Armstrong
 CEILING & WALL SOLUTIONS

DIRECT-TO-DECK & WALLS

