

Wall Reveals

For Drywall and ACOUSTIBuilt® Walls



SUSTAIN™
High Performance
Sustainable
Ceiling Systems



**24/7
DEFEND™**
Solutions for Healthier,
Safer Spaces

CONTAIN CLEAN PROTECT



▲ Wall Reveal Moldings

Wall Reveals create a horizontal or vertical separation in drywall walls, allowing for easy transitions from drywall to drywall panels or drywall to ACOUSTIBuilt® panels for wall applications.

KEY SELECTION ATTRIBUTES

- Factory-finished intersections and corners allow for easy change of direction
- Pre-engineered extruded aluminum provides crisp-edge detailing
- Pre-punched tapping flange for easy drywall or ACOUSTIBuilt wall attachment
- Integrated tapping flange grooves allow for an improved bonding surface when finishing drywall or ACOUSTIBuilt panels
- Perfect alignment between straight reveals, intersection, and corners with included splice plates

COLORS Due to printing limitations, shade may vary from actual product.

Standard



Custom Colors Available*

* Colors that are pre-qualified to meet Sustain™ portfolio requirements are available upon request. Other made-to-order colors must be evaluated if sustainability criteria is required. Lead time will increase.

VISUAL SELECTION

	Item No. ♦	Description	Length	Reveal Height	Reveal Width	
Reveal Molding	RM625250STR	1/4" Reveal for 5/8" Drywall	120"	5/8"	1/4"	
	RM625375STR	3/8" Reveal for 5/8" Drywall	120"	5/8"	3/8"	
	RM625500STR	1/2" Reveal for 5/8" Drywall	120"	5/8"	1/2"	
	RM625625STR	5/8" Reveal for 5/8" Drywall	120"	5/8"	5/8"	
	RM625750STR	3/4" Reveal for 5/8" Drywall	120"	5/8"	3/4"	
F Reveal Molding	FRM625375STR	3/8" F-Reveal for 5/8" Drywall	120"	5/8"	3/8"	
	FRM625500STR	1/2" F-Reveal for 5/8" Drywall	120"	5/8"	1/2"	
	FRM625625STR	5/8" F-Reveal for 5/8" Drywall	120"	5/8"	5/8"	
	FRM625750STR	3/4" F-Reveal for 5/8" Drywall	120"	5/8"	3/4"	
Z Reveal Molding	ZRM625250STR	1/4" Z-Reveal for 5/8" Drywall	120"	5/8"	1/4"	
	ZRM625375STR	3/8" Z-Reveal for 5/8" Drywall	120"	5/8"	3/8"	
	ZRM625500STR	1/2" Z-Reveal for 5/8" Drywall	120"	5/8"	1/2"	
	ZRM625625STR	5/8" Z-Reveal for 5/8" Drywall	120"	5/8"	5/8"	
	ZRM625750STR	3/4" Z-Reveal for 5/8" Drywall	120"	5/8"	3/4"	
Reveal Moldings No Taping Flange	NFRM625500STR	1/2" F-Reveal for 5/8" Drywall – No Taping Flange	120"	5/8"	1/2"	
	NFRM625750STR	3/4" F-Reveal for 5/8" Drywall – No Taping Flange	120"	5/8"	3/4"	
Moldings for ACOUSTIBuilt Panels	ARM625500STR	1/2" Reveal Molding for ACOUSTIBuilt Panel to 5/8" Drywall Transition	120"	5/8"	1/2"	

♦ Add the 2-letter color suffix to the item number when specifying or ordering (e.g., AXTR7902STR H A).



Wall Reveals

For Drywall and ACOUSTIBuilt® Walls



Declare.

LEED WELL LBC
UP TO 61% RECYCLED CONTENT

- energy management
- construction waste mgmt
- regional materials
- design for flexibility
- EPD
- recyclable/producer resp.
- biobased materials
- recycled content
- sourcing of raw materials
- material ingredient reporting
- low emitting materials
- lighting quality
- acoustics

Calculate sustainability with GreenGenie™
armstrongceilings.com/greengenie

LOCATION DEPENDENT

Well Building Standard™ (WELL)
Living Building Challenge® (LBC)

PREFABRICATED & PREASSEMBLED INTERSECTIONS FOR 5/8" DRYWALL

	Item No. ◆	Description	Length	Reveal Height	Reveal Width
Reveal Inside Corners	RM6252501C	1/4" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/4"
	RM6253751C	3/8" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/8"
	RM6255001C	1/2" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/2"
	RM6256251C	5/8" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	5/8"
	RM6257501C	3/4" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/4"
Reveal Outside Corners	RM6252500C	1/4" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	1/4"
	RM6253750C	3/8" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/8"
	RM6255000C	1/2" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	1/2"
	RM6256250C	5/8" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	5/8"
	RM6257500C	3/4" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/4"
Reveal Molding 3-Way Intersections	RM62525013W	1/4" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	1/4"
	RM62537513W	3/8" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	3/8"
	RM62550013W	1/2" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	1/2"
	RM62562513W	5/8" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	5/8"
	RM62575013W	3/4" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	3/4"
Reveal Molding 4-Way Intersections	RM62525014W	1/4" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	1/4"
	RM62537514W	3/8" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	3/8"
	RM62550014W	1/2" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	1/2"
	RM62562514W	5/8" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	5/8"
	RM62575014W	3/4" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	3/4"
Reveal Molding 90° Intersections	RM625250190	1/4" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	1/4"
	RM625375190	3/8" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	3/8"
	RM625500190	1/2" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	1/2"
	RM625625190	5/8" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	5/8"
	RM625750190	3/4" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	3/4"
F Reveal Inside Corners	FRM6253751C	3/8" F-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/8"
	FRM6255001C	1/2" F-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/2"
	FRM6256251C	5/8" F-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	5/8"
	FRM6257501C	3/4" F-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/4"
F Reveal Outside Corners	FRM6253750C	3/8" F-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/8"
	FRM6255000C	1/2" F-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	1/2"
	FRM6256250C	5/8" F-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	5/8"
	FRM6257500C	3/4" F-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/4"
F Reveal Inside Molding Intersections	FRM6253751I	3/8" F-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	3/8"
	FRM6255001I	1/2" F-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	1/2"
	FRM6256251I	5/8" F-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	5/8"
	FRM6257501I	3/4" F-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	3/4"
F Reveal Outside Molding Intersections	BPFM6253750I	3/8" F-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	3/8"
	BPFM6255000I	1/2" F-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	1/2"
	BPFM6256250I	5/8" F-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	5/8"
	BPFM6257500I	3/4" F-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	3/4"

Wall Reveals

For Drywall and ACOUSTIBuilt® Walls



Declare.

LEED WELL LBC
UP TO 61% RECYCLED CONTENT

energy management construction waste mgmt regional materials design for flexibility EPD recyclable/extended producer resp. biobased materials recycled content sourcing of raw materials material ingredient reporting low emitting materials lighting quality acoustics

Calculate sustainability with GreenGenie™
armstrongceilings.com/greengenie

LOCATION DEPENDENT

Well Building Standard™ (WELL)
Living Building Challenge® (LBC)

PREFABRICATED & PREASSEMBLED INTERSECTIONS FOR 5/8" DRYWALL

	Item No. ♦	Description	Length	Reveal Height	Reveal Width
Z Reveal Inside Corners	ZRM625250IC	1/4" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/4"
	ZRM625375IC	3/8" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/8"
	ZRM625500IC	1/2" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/2"
	ZRM625625IC	5/8" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	5/8"
	ZRM625750IC	3/4" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/4"
Z Reveal Outside Corners	ZRM6252500C	1/4" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	1/4"
	ZRM6253750C	3/8" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/8"
	ZRM6255000C	1/2" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	1/2"
	ZRM6256250C	5/8" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	5/8"
	ZRM6257500C	3/4" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/4"
Z Reveal Inside Molding Intersections	ZRM625250II	1/4" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	1/4"
	ZRM625375II	3/8" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	3/8"
	ZRM625500II	1/2" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	1/2"
	ZRM625625II	5/8" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	5/8"
	ZRM625750II	3/4" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	3/4"
Z Reveal Outside Molding Intersections	ZRM6252500I	1/4" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	1/4"
	ZRM6253750I	3/8" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	3/8"
	ZRM6255000I	1/2" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	1/2"
	ZRM6256250I	5/8" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	5/8"
	ZRM6257500I	3/4" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	3/4"
F Reveal No Taping Flange Reveal Inside Corners	NFRM625500IC	1/2" F-Reveal for 5/8" Drywall - No Taping Flange Inside Corner	120"	5/8"	1/2"
	NFRM625750IC	3/4" F-Reveal for 5/8" Drywall - No Taping Flange Inside Corner	120"	5/8"	3/4"
F Reveal No Taping Flange Reveal Outside Corners	NFRM6255000C	1/2" F-Reveal for 5/8" Drywall - No Taping Flange Outside Corner	120"	5/8"	1/2"
	NFRM6257500C	3/4" F-Reveal for 5/8" Drywall - No Taping Flange Outside Corner	120"	5/8"	3/4"
F Reveal No Taping Flange Inside Molding Intersections	FRM625500II	1/2" F-Reveal for 5/8" Drywall - No Taping Flange Inside 90° Intersection	120"	5/8"	1/2"
	FRM625750II	3/4" F-Reveal for 5/8" Drywall - No Taping Flange Inside 90° Intersection	120"	5/8"	3/4"
F Reveal No Taping Flange Outside Molding Intersections	FRM6255000I	1/2" F-Reveal for 5/8" Drywall - No Taping Flange Outside 90° Intersection	120"	5/8"	1/2"
	FRM6257500I	3/4" F-Reveal for 5/8" Drywall - No Taping Flange Outside 90° Intersection	120"	5/8"	3/4"
Wall Reveal Accessories	AXRMSPLICE	Splice Plate for Axiom® Reveals	120"	OM	SPLICE/CE

TRIM & TRANSITIONS – Standard Moldings

Wall Reveals

For Drywall and ACOUSTIBuilt® Walls



Declare.

LEED® WELL™ LBC


UP TO **61% RECYCLED CONTENT**

energy management	recyclable/recycled content	recycled content
construction waste mgmt	biobased materials	sourcing of raw materials
regional materials	design for flexibility	material ingredient reporting
EPD	low emitting materials	lighting quality
	recyclable/recycled content	acoustics

LOCATION DEPENDENT

Well Building Standard™ (WELL) Living Building Challenge® (LBC)

INSTALLATION DETAILS



PHYSICAL DATA

Material
Extruded Aluminum

Surface Finish
Factory-applied baked polyester paint finish

Warranty
10-year limited warranty

End Detail
Splice

ICC Reports
For areas under ICC jurisdiction, see evaluation report numbers ESR-1289 and ESR-1308 for allowable values and/or conditions of use concerning the suspension system components listed on this page. The reports are subject to reexamination, revisions, and possible cancellation.