For Drywall and AcoustiBuilt® Walls





Wall Reveals create a horizontal or vertical separation in drywall walls, allowing for easy transitions from drywall to drywall panels or drywall to AcoustiBuilt® panels for wall applications.

KEY SELECTION ATTRIBUTES

- · Factory-finished intersections and corners allow for easy change of direction
- · Pre-punched taping flange for easy drywall or AcoustiBuilt wall attachment
- · Perfect alignment between straight reveals, intersection, and corners with included splice plates
- Pre-engineered extruded aluminum provides crisp-edge detailing
- · Integrated taping flange grooves allow for an improved bonding surface when finishing drywall or AcoustiBuilt panels

 $\begin{tabular}{ll} \begin{tabular}{ll} \beg$

Standard





Available*

* Colors that are prequalified to meet Sustain™ portfolio requirements are available upon request. Other made-to-order colors must be evaluated if sustainability criteria is required. Lead time will increase.

Wall Reveal Moldings

VISUAL SELECTION

	Item No. ◆	Description	Length	Reveal Height	Reveal Width	
Reveal Molding	RM625250STR	1/4" Reveal for 5/8" Drywall	120"	5/8"	1/4"	A
	RM625375STR	3/8" Reveal for 5/8" Drywall	120"	5/8"	3/8"	و_مر
	RM625500STR	1/2" Reveal for 5/8" Drywall	120"	5/8"	1/2"	<u></u>
	RM625625STR	5/8" Reveal for 5/8" Drywall	120"	5/8"	5/8"	
	RM625750STR	3/4" Reveal for 5/8" Drywall	120"	5/8"	3/4"	5/8"
F Reveal Molding	FRM625375STR	3/8" F-Reveal for 5/8" Drywall	120"	5/8"	3/8"	
	FRM625500STR	1/2" F-Reveal for 5/8" Drywall	120"	5/8"	1/2"	
	FRM625625STR	5/8" F-Reveal for 5/8" Drywall	120"	5/8"	5/8"	
	FRM625750STR	3/4" F-Reveal for 5/8" Drywall	120"	5/8"	3/4"	5/8"
Z Reveal Molding	ZRM625250STR	1/4" Z-Reveal for 5/8" Drywall	120"	5/8"	1/4"	5,5
	ZRM625375STR	3/8" Z-Reveal for 5/8" Drywall	120"	5/8"	3/8"	
	ZRM625500STR	1/2" Z-Reveal for 5/8" Drywall	120"	5/8"	1/2"	
	ZRM625625STR	5/8" Z-Reveal for 5/8" Drywall	120"	5/8"	5/8"	
	ZRM625750STR	3/4" Z-Reveal for 5/8" Drywall	120"	5/8"	3/4"	5/8"
Reveal Moldings No Taping Flange	NFRM625500STR	1/2" F-Reveal for 5/8" Drywall – No Taping Flange	120"	5/8"	1/2"	
	NFRM625750STR	3/4" F-Reveal for 5/8" Drywall – No Taping Flange	120"	5/8"	3/4"	5/8"
Moldings for AcoustiBuilt Panels	ARM625500STR	1/2" Reveal Molding for AcoustiBuilt Panel to 5/8" Drywall Transition	120"	5/8"	1/2"	3,5 ·
						1-7/8"- -7/8"-

[◆] Add the 2-letter color suffix to the item number when specifying or ordering (e.g., AXTR7902STR <u>H</u> <u>A</u>).



Wall Reveals For Drywall and AcoustiBuilt® Walls



RECYCLED CONTENT UP TO 61%

COMMON MATERIALS FRAMEWORK

3rd Party CDPH

Ecosystem Health Circular Economy **Ø**

Well Building Standard™ (WELL) Living Building Challenge® (LBC)

Declare.

PREFABRICATED & PREASSEMBLED INTERSECTIONS FOR 5/8" DRYWALL

	Item No. ◆	Description	Length	Reveal Height	Reveal Width
Reveal Inside	RM625250IC	1/4" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/4"
Corners	RM625375IC	3/8" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/8"
	RM625500IC	1/2" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/2"
	RM625625IC	5/8" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	5/8"
	RM625750IC	3/4" Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/4"
Reveal Outside	RM6252500C	1/4" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	1/4"
Corners	RM6253750C	3/8" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/8"
	RM6255000C	1/2" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	1/2"
	RM6256250C	5/8" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	5/8"
	RM6257500C	3/4" Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/4"
Reveal Molding 3-Way Intersections	RM625250I3W	1/4" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	1/4"
	RM625375I3W	3/8" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	3/8"
	RM625500I3W	1/2" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	1/2"
	RM625625I3W	5/8" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	5/8"
	RM625750I3W	3/4" Reveal for 5/8" Drywall 3-Way Intersection	120"	5/8"	3/4"
Reveal	RM625250I4W	1/4" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	1/4"
Molding 4-Way ntersections	RM625375I4W	3/8" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	3/8"
	RM625500I4W	1/2" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	1/2"
	RM625625I4W	5/8" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	5/8"
	RM625750I4W	3/4" Reveal for 5/8" Drywall 4-Way Intersection	120"	5/8"	3/4"
Reveal	RM625250I90	1/4" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	1/4"
Molding 90° ntersections	RM625375I90	3/8" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	3/8"
	RM625500I90	1/2" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	1/2"
	RM625625I90	5/8" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	5/8"
	RM625750I90	3/4" Reveal for 5/8" Drywall 90° Intersection	120"	5/8"	3/4"
F Reveal	FRM625375IC	3/8" F-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/8"
nside Corners	FRM625500IC	1/2" F-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/2"
inside Corners	FRM625625IC	5/8" F-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	5/8"
	FRM625750IC	3/4" F-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/4"
Reveal	FRM6253750C	3/8" F-Reveal for 5/8" Drywall Outside Corner	120"	5/8" 5 5/8" 3 5/8" 1 5/8" 1 5/8" 5 5/8" 3 5/8" 1 5/8" 1 5/8" 1 5/8" 5 5/8" 1 5/8" 3 5/8" 1 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 5/8" 3 <td< td=""><td>3/8"</td></td<>	3/8"
Outside Corners	FRM6255000C	1/2" F-Reveal for 5/8" Drywall Outside Corner	120"		1/2"
	FRM6256250C	5/8" F-Reveal for 5/8" Drywall Outside Corner	120"		5/8"
	FRM6257500C	3/4" F-Reveal for 5/8" Drywall Outside Corner	120"		3/4"
Reveal	FRM625375II	3/8" F-Reveal for 5/8" Drywall Inside 90° Intersection	120"		3/8"
nside Molding	FRM625500II	1/2" F-Reveal for 5/8" Drywall Inside 90° Intersection	120"		1/2"
Intersections	FRM625625II	5/8" F-Reveal for 5/8" Drywall Inside 90° Intersection	120"		5/8"
	FRM625750II	3/4" F-Reveal for 5/8" Drywall Inside 90° Intersection	120"		3/4"
F Reveal Outside Molding Intersections	BPFRM6253750I	3/8" F-Reveal for 5/8" Drywall Outside 90° Intersection	120"		3/8"
	BPFRM6255000I	1/2" F-Reveal for 5/8" Drywall Outside 90° Intersection	120"		1/2"
		5/8" F-Reveal for 5/8" Drywall Outside 90" Intersection	120"		5/8"
	BPFRM6256250I	5/0 F-Neveal for 5/0 Drywall Outside 30 Trite(Section	120	3/0	3/0

Wall Reveals For Drywall and AcoustiBuilt® Walls







COMMON MATERIALS FRAMEWORK

3rd Party CDPH

Human Health

Climate Health
Ecosystem Health
Circular Economy

well Building Standard™ (WELL)
Living Building Challenge® (LBC)

Declare.

PREFABRICATED & PREASSEMBLED INTERSECTIONS FOR 5/8" DRYWALL

	Item No. ◆	Description	Length	Reveal Height	Reveal Width
Z Reveal	ZRM625250IC	1/4" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/4"
Inside Corners	ZRM625375IC	3/8" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/8"
	ZRM625500IC	1/2" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	1/2"
	ZRM625625IC	5/8" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	5/8"
	ZRM625750IC	3/4" Z-Reveal for 5/8" Drywall Inside Corner	120"	5/8"	3/4"
Z Reveal Outside Corners	ZRM6252500C	1/4" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	1/4"
	ZRM6253750C	3/8" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/8"
	ZRM6255000C	1/2" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	1/2"
	ZRM6256250C	5/8" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	5/8"
	ZRM6257500C	3/4" Z-Reveal for 5/8" Drywall Outside Corner	120"	5/8"	3/4"
Z Reveal Inside Molding Intersections	ZRM625250II	1/4" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	1/4"
	ZRM625375II	3/8" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	3/8"
	ZRM625500II	1/2" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	1/2"
	ZRM625625II	5/8" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	5/8"
	ZRM625750II	3/4" Z-Reveal for 5/8" Drywall Inside 90° Intersection	120"	5/8"	3/4"
Z Reveal Outside Molding Intersections	ZRM6252500I	1/4" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	1/4"
	ZRM6253750I	3/8" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	3/8"
	ZRM6255000I	1/2" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	1/2"
	ZRM6256250I	5/8" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	5/8"
	ZRM6257500I	3/4" Z-Reveal for 5/8" Drywall Outside 90° Intersection	120"	5/8"	3/4"
F Reveal No Taping Flange Reveal Inside Corners	NFRM625500IC	1/2" F-Reveal for 5/8" Drywall – No Taping Flange Inside Corner	120"	5/8"	1/2"
	NFRM625750IC	3/4" F-Reveal for 5/8" Drywall – No Taping Flange Inside Corner	120"	5/8"	3/4"
F Reveal No Taping Flange Reveal Outside Corners	NFRM6255000C	1/2" F-Reveal for 5/8" Drywall – No Taping Flange Outside Corner	120"	5/8"	1/2"
	NFRM6257500C	3/4" F-Reveal for 5/8" Drywall – No Taping Flange Outside Corner	120"	5/8"	3/4"
F Reveal No Taping Flange Inside Molding Intersections	FRM625500II	1/2" F-Reveal for 5/8" Drywall – No Taping Flange Inside 90° Intersection	120"	5/8"	1/2"
	FRM625750II	3/4" F-Reveal for 5/8" Drywall – No Taping Flange Inside 90° Intersection	120"	5/8"	3/4"
F Reveal No Taping Flange Outside Molding Intersections	FRM6255000I	1/2" F-Reveal for 5/8" Drywall – No Taping Flange Outside 90° Intersection	120"	5/8"	1/2"
	FRM6257500I	3/4" F-Reveal for 5/8" Drywall – No Taping Flange Outside 90° Intersection	120"	5/8"	3/4"
Wall Reveal Accessories	AXRMSPLICE	Splice Plate for Axiom® Reveals	120"	ОМ	SPLICE/CE



Wall Reveals For Drywall and AcoustiBuilt® Walls



RECYCLED CONTENT

AIN UP TO 61%

LEED V5

Fromedes Data

COMMON MATERIALS FRAMEWORK

Ecosyster
3rd Party CDPH

Ecosystem Health


Circular Economy


Well Building Standard** (WELL)

Living Building Challenge* (LBC)

Declare.

INSTALLATION DETAILS









Material Extruded Aluminum Surface Finish Factory-applied baked polyester paint finish Warranty 10-year limited warranty End Detail Splice ICC Reports

For areas under ICC jurisdiction, see evaluation report numbers ESR-1289 and ESR-1308 for allowable values and/or conditions of use concerning the suspension system components listed on this page. The reports are subject to reexamination, revisions, and possible cancellation.