

WOODWORKS® Linear Tegular

Horizontal Planks




**TOTAL
ACOUSTICS®**
Sound Absorption (NRC)
+ Sound Blocking (CAC)



SUSTAIN®
High Performance
Sustainable
Ceiling Systems




FAST134
Select Items Ship Fast
armstrongceilings.com/fast134



WoodWorks Linear Tegular 24" x 48" panels with 12 slats in Warm Oak finish, USAI® Micro™ downlights

CAD/Revit® drawings at:
armstrongceilings.com/cadrevit



Now get Total Acoustics® performance with WoodWorks® Linear Tegular – excellent noise reduction and sound blocking in one system.

KEY SELECTION ATTRIBUTES

- Standard finishes on solid poplar are tinted to replicate naturally occurring wood tones
- Get total noise control and design flexibility with Total Acoustics ceiling panels:
NRC + CAC = Total Acoustics
- Panels are part of the Sustain® portfolio and meet the most stringent industry sustainability compliance standards today
- FSC® certified wood available as a premium quoted option
- The natural warmth of wood can contribute to biophilic designs and building certification standards like the WELL™ v2 "Nature and Place" feature
- Select products included in the FAST134 program – ready to ship in 4 weeks or less
- Tegal panels with backers easily install on standard suspension system
- Create continuous looks and clouds with Axiom® or solid wood trim
- Panels are accessible without the use of clips
- CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim
- Integrate linear lights seamlessly with the Integrated Light Connection Clip and lights from BASO™ or T-BAR LED® lights from JLC-Tech
- Integrated downlighting solutions from USAI® sit perfectly flush with the panel face for a sleek visual
- Lighting solutions are certified for fit and finish and engineered to be supported by standard Armstrong suspension systems for use in all areas, including seismic D, E, F zones
- Made in the U.S.A. of domestic and global content
- Build America, Buy America (BABA) Act compliant

TechLine 877 276-7876

armstrongceilings.com/woodworkslinartegular

Armstrong®
World Industries

WOODWORKS® Linear Tegal Horizontal Planks




LEED® WELL | LBC

energy management	construction waste mgmt	regional materials	design for flexibility	EPD	recyclable/extended producer resp.	biobased materials	FSC® (for wood)	recycled content	sourcing of raw materials	material ingredient reporting	low emitting materials	lighting quality	acoustics
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
LOCATION DEPENDENT					PREMIUM OPTION					WITH INFILL PANEL			


For LEED contribution contact TechLine

FINISH RANGES ON SOLID POPLAR


Our tinted finishes allow the natural character of the poplar to shine through. The images here reflect the visual range that is likely within our product. Installers will want to lay out panels before installing to achieve preferred aesthetic.



Bleached Grey (GBG)



Classic Grey (GCG)



Carbon Grey (GCB)



Rich Mahogany (GRY)



Antique Oak (GAO)



Red Oak (GRK)



English Chestnut (GEC)



Golden Maple (GGM)



Natural Walnut (GWN)




Warm Oak (GWO)



Forest Walnut (GFW)


CUSTOM FINISHES



Custom Wood Species and Finishes Available

Panel backers are black. Made-to-order custom backer colors available.

LEGACY FINISHES




Maple (GMP)



Light Cherry (GLC)



Dark Cherry (GDC)



White (GWH)*

Due to printing limitations, shade may vary from actual product.
* Painted White finish is not included in the Sustain® portfolio.



WOODWORKS® Linear Tegal

Horizontal Planks







Declare.

LEED® WELL™ LBC

energy management	recyclables/extended producer resp.	recycled content	material ingredient reporting	low emitting materials	lighting quality	acoustics
construction waste mgmt	biobased materials	FSC® (for wood)	sourcing of raw materials	material ingredient reporting	low emitting materials	lighting quality
regional materials	design for flexibility	EPD				
LOCATION DEPENDENT	PREMIUM OPTION	WITH INFILL PANEL				

For LEED contribution contact TechLine

VISUAL SELECTION

Item No. ♦	Description	Dimensions Nominal W × L × H (Inches) Custom Sizes Available	% Open Area	LBS/SF
WOODWORKS® Linear Tegal for 9/16" Suspension System		1/2" × 1-1/2" 12 horizontal slats 24 × 24 × 1"	23%	1.35
6733F51L2T9_ _ _				
WOODWORKS Linear Tegal for 15/16" Suspension System		1/2" × 1-1/2" 12 horizontal slats 24 × 48 × 1"	23%	1.19
6733F51L4T9_ _ _				
WOODWORKS Linear Tegal for 15/16" Suspension System		1/2" × 1-1/2" 10 horizontal slats 24 × 24 × 1"	34%	1.18
6733F51L2T5_ _ _				
WOODWORKS Linear Tegal for 15/16" Suspension System		1/2" × 1-1/2" 10 horizontal slats 24 × 48 × 1"	34%	1.01
6733F51L4T5_ _ _				

PERFORMANCE

CleanAssure™ Disinfectable Panels		
Fog	Spray	Wipe
•	•	•
•	•	•
•	•	•

ACOUSTICAL INFORMATION

Dots represent high level of performance.

Dots represent high level of performance.

Item Number	Infill Panel Item No.		+		=	Total Acoustics ¹ 
6733F51L2T9 9/16" Tegal	5823	0.60		N/A		N/A
	1713BL	0.75 *		39 *		BETTER 
	2820BK	0.85 *		35 *		BEST 
	1318	0.75 *		29		N/A
6733F51L2T5 15/16" Tegal	5823	0.75 *		N/A		N/A
	1713BL	0.75 *		35 *		BETTER 
	2820BK	0.85 *		35 *		BEST 
	1318	0.75 *		30		N/A

¹ Total Acoustics® ceiling panels have an ideal combination of sound absorption and sound blocking in one product.

GOOD (NRC 0.60–0.65; CAC 35+)

BETTER (NRC 0.70–0.75; CAC 35+)

BEST (NRC 0.80+; CAC 35+)

FAST
4 WEEKS
or Less

FAST134 program items ready to ship from manufacturer in 4 weeks or less.
Up-to-date lead times and product options (sizes and colors) at armstrongceilings.com/fast134

♦ When specifying or ordering, include the appropriate 3-letter color suffix (e.g., 6733F51L2T9 G L C).
NOTE: For additional color and size options, call TechLine at 1 877 276 7876.

WOODWORKS® Linear Tegalr

Horizontal Planks



For LEED contribution contact TechLine											
energy management	construction waste mgmt	regional materials	design for flexibility	EPD	recyclable/extended producer resp.	bio-based materials	FSC® (for wood)	recycled content	sourcing of raw materials	material ingredient reporting	low emitting materials
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
LOCATION DEPENDENT						PREMIUM OPTION			WITH INFILL PANEL		

ACCESSORIES armstrongceilings.com/wwaccessories

	Item No. ◆	Description	Dimensions Nominal W × L × H (inches)	Color	PCS/CTN
Suspension Systems	7301BL	Prelude® XL® 12' HD Main Beam	15/16 × 144 × 1-11/16"	Black	20
	XL7341BL	Prelude XL 4' Cross Tee	15/16 × 48 × 1-11/16"	Black	60
	XL7328BL	Prelude XL 2' Cross Tee	15/16 × 24 × 1-3/8"	Black	60
	7800BL	Angle Wall Molding	7/8 × 144 × 7/8"	Black	30
Accessories	7290NOL24GBL	WoodWorks® Tegalr Backer – Square End	23-3/4 × 1-1/2 × 1/2"	Black	12
	5457GAL1 _ _ _	WoodWorks Solid End-Stain (Gallon)	–	All Finishes	1 Gallon
	5457QT1 _ _ _	WoodWorks Solid End-Stain (Quart)	–	All Finishes	1 Quart
Acoustical Infill Panels	2820BK	Calla® Square Lay-in Panel	24 × 24 × 7/8"	Black	10
	1713BL	School Zone® Fine Fissured™ Square Lay-in Panel	24 × 24 × 3/4"	Black	12
	1318	Backstage Noir® Square Lay-in Panel	24 × 24 × 3/4"	Black	12
	5823	BioAcoustic™ Infill Panel	24 × 24 × 5/8"	Black Matte	12
Perimeter Trim	7146H4L96 _ _ _	4" Solid Wood Trim with 4 Clips	3/4 × 96 × 4"	All Finishes	1
	7146H6L96 _ _ _	6" Solid Wood Trim with 4 Clips	3/4 × 96 × 6"	All Finishes	1
	5925	Replacement Trim Clips		Mill Finish	25
	7239	Adjustable Trim Clip	–	Mill Finish	1
	AX_VESTR _ _ _	Axiom® Vector Straight Trim – Recommend in Black 6" and up		Silver Grey, Black, Gun Metal	10 LF
	AX_VECUR _ _ _	Axiom Vector Curved Trim – Recommend in Black 6" and up		Silver Grey, Black, Gun Metal	10 LF

◆ When specifying or ordering please include the 3-letter color suffix that coordinates with your WoodWorks ceiling: (e.g., 5457GAL1 G B G).



WOODWORKS® Linear Tegar Horizontal Planks



LEED® WELL™ LBC

For LEED contribution contact TechLine													
energy management	construction waste mgmt	regional materials	design for flexibility	EPD	recyclable/extended producer resp.	biobased materials	FSC® (for wood)	recycled content	sourcing of raw materials	material ingredient reporting	low emitting materials	lighting quality	acoustics
	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
LOCATION DEPENDENT					PREMIUM OPTION								
					WITH INFILL PANEL								

LIGHTING SOLUTIONS

WOODWORKS® Linear Tegal

Horizontal Planks
linear lighting

Seamlessly integrate linear light fixtures from BASO™ with standard or made-to-order WoodWorks® Linear Tegal panels using Integrated Light Connection Clips that suspend lights directly from the suspension system. This eliminates the need for independent support of the fixture or modification of the suspension system.

KEY SELECTION ATTRIBUTES

- Engineered and tested clip and suspension system seamlessly integrate lighting with grid
- Low-profile, pre-engineered light fixture in coordinating 2", 3-1/4", and 5-1/4" widths from BASO for a flush, sleek visual
- Approved for use in all seismic categories

DESIGN CONSIDERATIONS


- Length of lights are designed to coordinate with the length of panels
- Lights must run parallel with slat direction and are not for use in perimeter panels
- Reveal between light and slats will coordinate with the reveal from slat to slat
- Modified panels are required to be secured in the grid system with Cut Backer Support Clips (Item 8171WGTC01)
- Coordination between ceiling contractor and electrician is required for installation

VISUAL SELECTION

Item No.	Description	Coordinating WoodWorks Linear Tegal Panel Item No.	Panel Field Modification Required*	Compatible Partner Light Fixture Dimensions W x L (Inches)	Clips Required per Light Fixture
8171WGTC03	 Integrated Light Connection Clip for Horizontal Slat Panels	6733F51L2T9	Remove 2 slats Remove 3 slats	3-1/4" x 23-3/8" 5-1/4" x 23-3/8"	2 2
		6733F51L4T9	Remove 2 slats Remove 3 slats	3-1/4" x 47-3/8" 5-1/4" x 47-3/8"	2 2
		6733F51L2T5	Remove 1 slat Remove 2 slats Remove 3 slats	2" x 23" 3-1/4" x 23" 5-1/4" x 23"	2 2 2
		6733F51L4T5	Remove 1 slat Remove 2 slats Remove 3 slats	2" x 47" 3-1/4" x 47" 5-1/4" x 47"	2 2 2
Accessories	7425	24" Stabilizer Bar used with 24" x 48" WoodWorks Linear Tegal panels (100 PCS/CTN)			

* Made-to-order panels that eliminate the need for field modification of standard panels are available via ASQuote@armstrongceilings.com
NOTE: Item 8171WGTC03 is packaged 12 PCS/CTN.

INSTALLATION DETAILS



LIGHTING FIXTURES

Compatible with BASO PANO™ Low-Profile Linear Plank light fixture.

BASO

For detailed lighting information, contact your local BASO representative.

LIGHTING SOLUTIONS

WOODWORKS® Linear Tegalr

Horizontal Planks
downlighting

Seamlessly integrate downlight fixtures from USAI® with standard WoodWorks® Linear Tegalr panels. Suspend lights directly from the suspension system, eliminating the need for independent support of the fixture or modification of the suspension system.


KEY SELECTION ATTRIBUTES

- Engineered and tested to seamlessly integrate lighting fixtures with grid
- Two downlight styles available from USAI BeveLED Mini® for WoodWorks and Micro™ for WoodWorks light fixtures
- Approved for use in all seismic categories

DESIGN CONSIDERATIONS

- Lights are designed to sit flush with the face of the WoodWorks panels
- Modified panels are required to be secured in the grid system
- Coordination between ceiling contractor and electrician is required for installation

INSTALLATION DETAILS



LIGHTING FIXTURES

Compatible with USAI BeveLED Mini for WoodWorks or Micro for WoodWorks lighting fixture families.

USAI®

Lighting

For detailed lighting information, contact your local USAI representative.

