

CLASSIFICATION: Acoustical Ceiling Treatment

PRODUCT DESCRIPTION: FeltWorks Acoustical Panels provide a soft visual and quieting acoustics in budget friendly 48" x 96" panels to control noise. Three unique installation options provide versatility to meet project needs.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

FELTWORKS™ ACOUSTICAL PANELS [POLYETHYLENE TEREPHTHALATE LT-UNK PHOSPHONIC ACID, METHYL-, BIS(5-ETHYL-2-METHYL-2,2-DIOXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL ESTER, MIXT. WITH (5-ETHYL-2-METHYL-2-OXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL METHYL METHYLPHOSPHONATE (PHOSPHONIC ACID) NoGS FATTY ACIDS, COCO, POLYMERS WITH BENZOIC ACID, PENTAERYTHRITOL AND PHTHALIC ANHYDRIDE NoGS TITANIUM DIOXIDE LT-1 | CAN | END 9,10-ANTHRACENEDIONE, 1,1'-[(6-PHENYL-1,3,5-TRIAZINE- 2,4-DIYL)DIIMINO]BIS- LT-UNK C. I. PIGMENT BLUE 15 BM-3 CARBON BLACK LT-1 | CAN DIIRON TRIOXIDE BM-2 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold

Other: ILFI Declare - LBC Compliant - Third Party Verified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-09-04

PUBLISHED DATE: 2019-09-04

EXPIRY DATE: 2022-09-04



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

FELTWORKS™ ACOUSTICAL PANELS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES: More information on FeltWorks(TM) can be found at armstrongceilings.com

POLYETHYLENE TEREPHTHALATE

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-04

#: 95.00 - 100.00

GS: LT-UNK

RC: PostC

NANO: No

ROLE: Fiber Panel Structure

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: FeltWorks(TM) Panels are made with recycled PET from a variety of sources (e.g. PET Bottles).

PHOSPHONIC ACID, METHYL-, BIS(5-ETHYL-2-METHYL-2,2-DIOXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL ESTER, MIXT. WITH (5-ETHYL-2-METHYL-2-OXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL METHYL METHYLPHOSPHONATE (PHOSPHONIC ACID)

ID: 170836-68-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-04

#: 1.00 - 4.00

GS: NoGS

RC:

NANO:

ROLE:

None

No

Processing oil

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Processing oil for fibers

FATTY ACIDS, COCO, POLYMERS WITH BENZOIC ACID, PENTAERYTHRITOL AND PHTHALIC ANHYDRIDE

ID: 68604-67-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-04

#: 0.30 - 0.60

GS: NoGS

RC: None

NANO: No

ROLE: Polymer

FeltWorks Acoustical Panels

hpcrepository.hpd-collaborative.org

HPD v2.1.1 created via HPDC Builder Page 2 of 6

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Treatment for fibers

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 1.00	GS: LT-1	RC: None	NANO: Unknown	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: This substance is identified on the US EPA Safer Chemical Ingredient List. Titanium Dioxide is bound within the coating and is not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product. Specific guidelines are being created to address known issues related to disclosure of this material and will become available. The Material health harmonization Task Group convened by the USGBC states that pigmentary TiO2 was determined to be BM2 using the full GS method.

9,10-ANTHRACENEDIONE, 1,1'-[(6-PHENYL-1,3,5-TRIAZINE- 2,4-DIYL)DIIMINO]BIS-

ID: 4118-16-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 1.00	GS: LT-UNK	RC: None	NANO: Unknown	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This substance is a yellow pigment. This substance is not present in all colors.

C. I. PIGMENT BLUE 15

ID: 147-14-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 1.00	GS: BM-3	RC: None	NANO: Unknown	ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance is not present in all colors. Contact manufacturer if more information is required.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-04**

#: **0.00 - 1.00**

GS: **LT-1**

RC: **None**

NANO: **Unknown**

ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Substance is not present in all colors. Contact the manufacturer if more information is needed.

DIIRON TRIOXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-04**

#: **0.00 - 1.00**

GS: **BM-2**

RC: **None**

NANO: **Unknown**

ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance is a red/brown pigment. Substance is not present in all colors. Contact manufacturer if more information is required.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL GreenGuard Gold

CERTIFYING PARTY: **UL Environment**

ISSUE DATE: **2019-**

EXPIRY DATE: **2020-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **all**

07-30

06-25

Environment

CERTIFICATE URL:

<https://www.armstrongceilings.com/commercial/en-us/performance/sustainable-building-design/voc-certificates.html>

CERTIFICATION AND COMPLIANCE NOTES:

OTHER

ILFI Declare - LBC Compliant - Third Party Verified

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE: **2020-**

CERTIFIER OR LAB: **ILFI**

APPLICABLE FACILITIES: **all**

10-01

10-01

CERTIFICATE URL:

https://www.armstrongceilings.com/commercial/en-us/performance/sustainable-building-design/declare-labels-commercial-ceilings.html#redirect_term=Declare

CERTIFICATION AND COMPLIANCE NOTES: **Declare Label LBC Red List Approved**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Commercial Ceilings website for more information on this product.



MANUFACTURER INFORMATION

MANUFACTURER: **Armstrong World Industries**
ADDRESS: **2500 Columbia Avenue**
Lancaster Pennsylvania 17603, United States
WEBSITE: **www.armstrongceilings.com**

CONTACT NAME: **Anita Snader**
TITLE: **Sustainability Manager**
PHONE: **7173966486**
EMAIL: **alsnader@armstrong.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.