InvisAcoustics[™] Acoustical Ceilings and Wall Panels by Armstrong World Industries

• 100 ppm

C Other

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the

using or handling this product will expose individuals to its chemical

substances or any health risk. Refer to Section 2 for further details. PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

INVISACOUSTICS™ ACOUSTICAL CEILINGS AND WALL PANELS [

CALCIUM CARBONATE BM-3dg ALUMINUM HYDROXIDE BM-2 | SKI | EYE CLAY LT-UNK | CAN ACRYLIC ACID NoGS POLYVINYL ACETATE LT-UNK SILICA LT-1 | CAN | MAM | GEN DIATOMACEOUS EARTH LT-UNK PVA POLY (VINYL ALCOHOL) LT-UNK TITANIUM DIOXIDE LT-1 CAN | END | MAM CALCIUM CARBONATE BM-3 | EYE KAOLIN LT-UNK SODIUM SALT LT-UNK | SKI | EYE STARCH DERIVATIVE NoGS]

GreenScreen for Safer Chemicals®. The HPD does not assess whether

HPD UNIQUE IDENTIFIER: 32017

CLASSIFICATION: 09 50 00 Ceilings

PRODUCT DESCRIPTION: Smooth-textured, hidden acoustical solution that installs direct-to-deck multiple ways while maintaining exposed structure designs and reducing noise.

Section 1: Summary

| Inventory Re | eporting |
|--------------|----------|
| Format | |

C Nested Materials Method Basic Method

Threshold Disclosed Per

O Material

• Product

Threshold Level **Residuals/Impurities Evaluation** Completed C 1,000 ppm C Partially Completed O Per GHS SDS O Not Completed

> Explanation(s) provided : ⊙ Yes ○ No

Basic Method / Product Threshold

| For all contents above the threshold, the | manufacturer has: |
|---|-------------------|
| Characterized | • Yes O No |
| Provided weight and role. | |
| Screened | • Yes O No |
| Provided screening results using HPDC-a | pproved |
| methods. | |
| Identified | O Yes O No |
| Provided name and CAS RN or other iden | ntifier. |

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CONTENT IN DESCENDING ORDER OF QUANTITY

GREENSCREEN SCORE | HAZARD TYPE

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes

• No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2023-04-04 PUBLISHED DATE: 2023-04-04 EXPIRY DATE: 2026-04-04

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

INVISACOUSTICS™ ACOUSTICAL CEILINGS AND WALL PANELS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES: For more details visit the Armstrong site: https://www.armstrongceilings.com/

| CALCIUM CARBONATE | | | | ID: 1317-65-3 |
|---------------------|---------------------------------------|-----------|---------------------|------------------------------------|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE: 2023 | -04-04 5:51:22 |
| %: 1.0660 - 1.0770 | GreenScreen: BM-3dg | RC: None | NANO: Unknown | SUBSTANCE ROLE: Filler |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No warnings f | ound on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No listing | s found on Additional Hazard Lists |

SUBSTANCE NOTES:

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD S | | | SCREENING DATE: 2023-04-04 5:51:23 | | |
|---|---------------------------------|----------------------------|------------------------------------|---|--|
| %: 0.6780 - 0.7960 | GreenScreen: BM-2 | RC: None | NANO: Unknown | SUBSTANCE ROLE: Filler | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| SKI | GHS - New Zealand | Skin irritation category 2 | | 2 | |
| EYE | GHS - New Zealand | | Eye irritation category | 2 | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
| RESTRICTED LIST Cradle to Cradle Products Inn Institute (C2CPII) | | ation | | uct Standard Restricted - Effective July 1, 2022 | |
| | | | Biological and Environ | mentally Released Materials | |
| RESTRICTED LIST | Cradle to Cradle Products Innov | ation | C2C Certified v4 Prod | uct Standard Restricted | |
| | Institute (C2CPII) | | Substances List (RSL) | - Effective July 1, 2022 | |
| | | | Children's Products | | |

SUBSTANCE NOTES:

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE: 202 | 23-04-04 5:51:23 | |
|---|--|--------------|---|--------------------|---------------------|
| %: 0.7240 - 0.7310 | GreenScreen: LT-UNK | RC: None | NANO: Unknown | SUBSTANCE I | ROLE: Filler |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| CAN | МАК | | Carcinogen Group 3 but not sufficient for | | rcinogenic effects |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
| None found | | | No listir | ngs found on Addit | ional Hazard Lists |
| SUBSTANCE NOTES: | | | | | |
| ACRYLIC ACID | | | | | ID: 9063-87-0 |
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE: 202 | 23-04-04 5:51:24 | |
| %: 0.1770 - 0.1920 | GreenScreen: NoGS | RC: None | NANO: Unknown | SUBSTANCE R | OLE: Coating |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| None found | | | No warnings | s found on HPD Pr | iority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
| None found | | | No listir | ngs found on Addit | ional Hazard Lists |
| SUBSTANCE NOTES: | | | | | |
| | | | | | |
| POLYVINYL ACETATE | | | | | ID: 9003-20-7 |
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE: 202 | 23-04-04 5:51:25 | |
| %: 0.1730 - 0.1730 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROI | E: Adhesive |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| None found | | | No warnings | s found on HPD Pr | iority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
| None found | | | No listir | ngs found on Addit | ional Hazard Lists |
| SUBSTANCE NOTES: In FIFRA. It is not registered | this product it is not regulated as a hazard d persistent material. | ous substanc | e. In this product, it is | not a registered p | esticide under |
| SILICA | | | | | ID: 14464-46-1 |
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE: 202 | 23-04-04 5:51:22 | |
| %: 0.0000 - 0.1710 | GreenScreen: LT-1 | RC: None | NANO: Unknown | SUBSTANCE R | OLE: Impurity |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CAN | МАК | Carcinogen Group 1 - Substances that cause cancer in man |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| CAN | GHS - New Zealand | Carcinogenicity category 1 |
| МАМ | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: Silica is respirable form in the final pro | | tone. Silica is bound within the product matrix and is not in a |
| | | |

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2023-04-04 5:51:23 | | |
|---|----------------------|----------|---|------------------------------------|--|
| %: 0.0000 - 0.1470 | GreenScreen: LT-UNK | RC: None | NANO: Unknown | SUBSTANCE ROLE: Filler | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| None found | | | No warnings f | ound on HPD Priority Hazard List | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
| None found | | | No listing | s found on Additional Hazard Lists | |

| PVA POLY (VINYL ALCOP | IOL) | | | ID: 9002-89-5 |
|-----------------------|---------------------------------------|-----------|---------------------|------------------------------------|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE: 2023 | 3-04-04 5:51:23 |
| %: 0.0340 - 0.0900 | GreenScreen: LT-UNK | RC: None | NANO: Unknown | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No warnings | found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No listing | s found on Additional Hazard Lists |

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | ary HAZARD SCREENING DATE: 2023-04-04 5:51:24 | | | |
|---------------------|---------------------------------------|---|--|--|--|
| %: 0.0450 - 0.0800 | GreenScreen: LT-1 | RC: None | NANO: Unknown | SUBSTANCE ROLE: Pigment | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| CAN | US CDC - Occupational Carcino | US CDC - Occupational Carcinogens | | gen | |
| CAN | CA EPA - Prop 65 | CA EPA - Prop 65 | | to chemical form or exposure | |
| CAN | IARC | IARC | | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources | |
| CAN | МАК | МАК | | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value | |
| END | TEDX - Potential Endocrine Disr | uptors | Potential Endocrine D | lisruptor | |
| CAN | МАК | | Carcinogen Group 4 - low risk under MAK/B | Non-genotoxic carcinogen with AT levels | |
| CAN | EU - GHS (H-Statements) Annex | 6 Table 3-1 | H351 - Suspected of Category 2] | causing cancer [Carcinogenicity - | |
| CAN | GHS - Japan | | H351 - Suspected of Category 2] | causing cancer [Carcinogenicity - | |
| МАМ | GHS - Japan | | repeated exposure [S | ge to organs through prolonged or pecific target organs/systemic eated exposure - Category 1] | |
| CAN | EU - Annex VI CMRs | | Carcinogen Category | 2 - Suspected human Carcinogen | |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|--|--|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Cosmetics & Personal Care Products |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL) |
| | Erny | Colorants - Green Circle (Verified Low Concern) |

SUBSTANCE NOTES: Titanium dioxide is a naturally occurring mineral in clay and limestone. Titanium dioxide is bound within the product matrix and is not in a respirable form in the final product.

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SC | REENING DATE: 2023 | 3-04-04 5:51:25 |
|---------------------|---------------------------------------|-----------|-------------------------|------------------------------------|
| %: 0.0420 - 0.0680 | GreenScreen: BM-3 | RC: None | NANO: Unknown | SUBSTANCE ROLE: Filler |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| EYE | GHS - New Zealand | | Eye irritation category | 2 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No listing | s found on Additional Hazard Lists |
| SUBSTANCE NOTES: | | | | |
| KAOLIN | | | | ID: 92704-41 |
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SC | REENING DATE: 2023 | 3-04-04 5:51:25 |
| %: 0.0280 - 0.0280 | GreenScreen: LT-UNK | RC: None | NANO: Unknown | SUBSTANCE ROLE: Filler |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No warnings | found on HPD Priority Hazard List |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No listing | s found on Additional Hazard List |
| SUBSTANCE NOTES: | | | | |
| SODIUM SALT | | | | ID: 68891-38 |
| | | | | |

| %: 0.0040 - 0.0170 | GreenScreen: LT-UNK | C: None | NANO: Unknown | SUBSTANCE ROLE: Coating |
|---|---|------------------------|---------------------------------------|------------------------------------|
| HAZARD TYPE | LIST NAME AND SOURCE | W | ARNINGS | |
| SKI | GHS - New Zealand | SI | kin irritation catego | ry 2 |
| EYE | GHS - New Zealand | Se | erious eye damage | category 1 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | N | OTIFICATION | |
| None found | | | No listing | gs found on Additional Hazard List |
| | | | | |
| SUBSTANCE NOTES: | | | | |
| SUBSTANCE NOTES: | | | | |
| SUBSTANCE NOTES: | | | | ID: Not Register |
| STARCH DERIVATIVE | Toxnot Chemical Hazard Screening Library | HAZARD S | CREENING DATE: | |
| TARCH DERIVATIVE | Toxnot Chemical Hazard Screening Library GreenScreen: NoGS | / HAZARD S RC: None | CREENING DATE: NANO: Unknow | 2023-04-04 5:35:53 |
| TARCH DERIVATIVE | | RC: None | | 2023-04-04 5:35:53 |
| AZARD DATA SOURCE: %: 0.0120 - 0.0120 HAZARD TYPE | GreenScreen: NoGS | RC: None | NANO: Unknow ARNINGS | 2023-04-04 5:35:53 |
| STARCH DERIVATIVE | GreenScreen: NoGS | RC: None W | NANO: Unknow ARNINGS | 2023-04-04 5:35:53 |

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | UL/GreenGuard Gold Certified | | |
|--|---|-----------------------------|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Pensacola, FL CERTIFICATE URL: https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/north- america/certificates/invisacoustics-greenguard-certificate.pdf | ISSUE DATE: 2020-11-02 EXPIRY DATE: 2023-05-02 | CERTIFIER OR LAB: UL | |
| CERTIFICATION AND COMPLIANCE NOTES: | | | |
| LCA | Environmental Product Decl | aration (EPD) by UL | |
| | Environmental Product Decl ISSUE DATE: 2021-10-01 EXPIRY DATE: 2026-10-01 | aration (EPD) by UL | |

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CEILING SUSPENSION SYSTEM

MANUFACTURER (OR GENERIC): Armstrong World Industries, Inc.

HPD URL: https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/north-america/hpds/interlude-hpd.pdf ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Various ceiling suspension options are available.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy, or completeness of the declaration form, or the standards, rules, classifications, warnings, or criteria utilized or referenced therein. Please refer to the Armstrong Commercial Ceilings website for more information on this product. https://www.armstrongceilings.com/

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries ADDRESS: 2500 Columbia Avenue Lancaster PA 17603, United States WEBSITE: www.armstrongceilings.com

CONTACT NAME: Customer Service TITLE: Customer Service Representative PHONE: 877-276-7876 option #2 EMAIL: aacostello@armstrongceilings.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.