

HPD UNIQUE IDENTIFIER: 26052

CLASSIFICATION: 09 50 00 Ceilings

PRODUCT DESCRIPTION: MetalWorks Tegular ceiling panels are durable, steel panels that provide 100% upward access and are ideal for standard 9/16" Exposed Tee grid systems. MetalWorks Vector ceiling panels are durable, steel panels that provide 100% downward access and are ideal for standard 15/16" Exposed Tee grid systems. Standard items and standard finishes in Silver Grey, White and Gunmetal. MetalWorks Snap-in offers a clean, monolithic, concealed appearance combined with a low-cost concealed suspension solution. These downward accessible panels can be installed in a lower clearance plenum (as low as 2") when MPT snap bar is attached directly to the deck. Standard Finishes included in this label are Whitelume, Siliverlume, Gunmetal. MetalWorks Clip-on can quickly and easily transform any space with an existing 15/16" suspension system. A great choice for renovations, MetalWorks Clip-on panels are downward accessible and available in 24" x 24" and 24" x 48" standard sizes. Standard Finishes included in this label are Whitelume, Siliverlume, Gunmetal. Maximize design impact with MetalWorks 3D ceilings. 3D is the industry's only 2' x 2' metal ceiling with an 8" dimensional difference. Panels are available in five different heights (0"-4") and can be installed up or down. Choose from two perforation options. Panels install on a standard 9/16" exposed tee grid system. Standard Finishes included in this label are Whitelume, Siliverlume, Gunmetal. MetalWorks Torsion Spring large size panels provide a lightweight, monolithic visual with 100% downward accessibility. Standard Finishes included in this label are Whitelume, Siliverlume, Gunmetal. Note: Label is for M1 nonperforated options.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input checked="" type="radio"/> Considered	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	% weight and role provided for all substances.
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	Screened <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities?	<i>One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
ARMSTRONG METAL WORKS™ SNAP IN, CLIP ON, 3D, TORSION SPRING(&SHAPES), BLADES CLASSICS, DESIGNFLEX™ [ALUMINUM Not Screened TITANIUM DIOXIDE Not Screened BLACK PIGMENT Not Screened SILICA GEL Not Screened TALC Not Screened]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... UNK
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm. This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: ClearChem Standard BkA-CC-01.3
 Other: ILFI Declare - Red List Free - Third Party Verified

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-09-10

PUBLISHED DATE: 2021-09-10

EXPIRY DATE: 2024-09-10

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ARMSTRONG METAL WORKS™ SNAP IN, CLIP ON, 3D, TORSION SPRING(&SHAPES), BLADES CLASSICS, DESIGNFLEX™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED:
Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES: This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**%: **100.0000 - 100.0000** GS: **Not Screened** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Hazards noted pertain to aluminum in a powder or fumigated state. It is an extruded aluminum product. Accordingly, the hazards noted would not pertain to aluminum is this form.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**%: **65.0000 - 75.0000** GS: **Not Screened** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: It is bound by the adhesives within the coating. It is not in a respirable form in the final product. Accordingly, it is excluded from regulatory hazards list.

BLACK PIGMENT

ID: 68186-91-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**%: **5.0000 - 10.0000** GS: **Not Screened** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Pigment

SILICA GEL

ID: 112926-00-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**%: **5.0000 - 10.0000** GS: **Not Screened** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Filler

Silica is bound within the coating and not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**%: **5.0000 - 10.0000** GS: **Not Screened** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Filler

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	ClearChem Standard BkA-CC-01.3		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-10-18	EXPIRY DATE: 2025-10-18	CERTIFIER OR LAB: Berkley
APPLICABLE FACILITIES: N/A			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

OTHER	ILFI Declare - Red List Free - Third Party Verified		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-09-04	EXPIRY DATE: 2022-08-01	CERTIFIER OR LAB: ILFI
APPLICABLE FACILITIES: N/A			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries
ADDRESS: 2500 Columbia Ave
 Lancaster PA 17603, USA
WEBSITE: <https://www.armstrongceilings.com/metalworks>

CONTACT NAME: Armstrong Techline
TITLE: Techline
PHONE: 1-877-276-7876 option #2
EMAIL: techline@armstrongceilings.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.