

Armstrong Commercial Ceilings Ultima High Recycled Content by Armstrong World Industries

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21752

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT DESCRIPTION: A smooth visual ceiling with Total Acoustics™ performance - sound absorption and blocking needed for today's flexible spaces; durable finish – Washable, Impact-resistant, Scratch-resistant, Soil-resistant. Offers high recycled content.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
 % weight and role provided for all substances.

Screened Yes Ex/SC Yes No
 All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
 All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ULTIMA HRC COMMERCIAL CEILINGS [MINERAL WOOL (BIOINSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT GREATER THAN 18 % BY WEIGHT) LT-UNK CELLULOSE PULP NoGS STARCH LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END FIBERGLASS LT-UNK KAOLIN CLAY LT-UNK | CAN LIMESTONE; CALCIUM CARBONATE LT-UNK PERLITE (PERLITE) LT-UNK POLY(VINYL ALCOHOL) LT-UNK ETHYLENE COPOLYMER NoGS KAOLIN, CALCINED LT-UNK QUARTZ LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 1000ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified
 LCA: Environmental Product Declaration
 Other: International Living Future Institute - Ultima AirGuard Declare Label

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-09-18

PUBLISHED DATE: 2020-09-18

EXPIRY DATE: 2023-09-18



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ULTIMA HRC COMMERCIAL CEILINGS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 1000ppm.

OTHER PRODUCT NOTES: For more information on Ultima High Recycled Content visit:

<https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/ultima-lay-in-and-tegular-ceiling-tiles.html>

MINERAL WOOL (BIOINSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT GREATER THAN 18 % BY WEIGHT)

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 30.0000 - 55.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Base material

CELLULOSE PULP

ID: 65996-61-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 8.0000 - 10.0000

GS: NoGS

RC: Both

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Base ingredient

STARCH

ID: 9005-25-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 5.0000 - 18.0000

GS: LT-UNK

RC: PostC

NANO: No

SUBSTANCE ROLE: Binder

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Binder in this product

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 1.0000 - 5.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---------------------------------------|--|
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CANCER | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CANCER | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |

SUBSTANCE NOTES: Titanium Dioxide is bound within the coating and is not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

FIBERGLASS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 1.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: This ingredient is not inhalable, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

KAOLIN CLAY

ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-18

#: 1.0000 - 10.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| CANCER | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |

SUBSTANCE NOTES: Kaolin clay used in this product in not regulated as a hazardous substance.
MAK denotes German occupational exposure.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **1.0000 - 5.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Filler in product**

PERLITE (PERLITE)

ID: 93763-70-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.5000 - 10.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Filler**

POLY(VINYL ALCOHOL)

ID: 9002-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.1000 - 1.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None**

ETHYLENE COPOLYMER

ID: 26713-18-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.1000 - 1.0000**

GS: **NoGS**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0100 - 1.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: **NOne**

QUARTZ

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-18**

#: **0.0100 - 5.0000**

GS: **LT-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|-----------------------------------|---|
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CANCER | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CANCER | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CANCER | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CANCER | IARC | Group 1 - Agent is Carcinogenic to humans |
| CANCER | GHS - New Zealand | 6.7A - Known or presumed human carcinogens |
| CANCER | GHS - Japan | Carcinogenicity - Category 1A [H350] |
| CANCER | GHS - Australia | H350i - May cause cancer by inhalation |

SUBSTANCE NOTES: **Quartz is bound within the coating and is not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2020-**

EXPIRY DATE: **2021-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **all**

04-16

05-02

Environment

CERTIFICATE URL:

<https://www.armstrongceilings.com/pdbupimages-clg/225304.pdf/download/ultima-c2c-greenguard-certificate.pdf>

CERTIFICATION AND COMPLIANCE NOTES: **UL GG GOLD**

LCA

Environmental Product Declaration

CERTIFYING PARTY: **Third Party**

ISSUE

EXPIRY

CERTIFIER OR

APPLICABLE FACILITIES:

DATE:

DATE:

LAB: **UL**

CERTIFICATE URL:

<https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/north-america/epds/ultima-epd.pdf>

2016-

2020-

Environment

03-31

03-31

CERTIFICATION AND COMPLIANCE NOTES: **Environmental Product Declaration - Product Specific**

OTHER

International Living Future Institute - Ultima AirGuard Declare Label

CERTIFYING PARTY: **Third Party**

ISSUE

EXPIRY

CERTIFIER OR

APPLICABLE FACILITIES: **all**

DATE:

DATE:

LAB: **ILFI**

CERTIFICATE URL:

<https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/north-america/certificates/ultima-hrc-declare-fl.pdf>

2020-

2021-

06-01

06-01

CERTIFICATION AND COMPLIANCE NOTES: **Red List free Declare Label**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no

other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Additional Ingredient Information for Specified Substances: (if ingredient is listed in content inventory, include this note in substance notes below ingredient.)



MANUFACTURER INFORMATION

MANUFACTURER: **Armstrong World Industries**
 ADDRESS: **2500 Columbia Ave.**
Lancaster PA 17603, USA
 WEBSITE: **www.armstrongceilings.com**

CONTACT NAME: **Anita Snader**
 TITLE: **Sustainability Manager**
 PHONE: **1-877-276-7876**
 EMAIL: **techline@armstrongceilings.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | NoGS No GreenScreen. |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | |
| BM-U Benchmark Unspecified (due to insufficient data) | |
| LT-P1 List Translator Possible 1 (Possible Benchmark-1) | |

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.