

Section 1. Identification

Product identifier

Product Identity Man-made Vitreous Fiber Ceilings and Wall Panels #3

Other means of identification Man-made Vitreous Fiber Ceilings and Wall Panels #3

Relevant identified uses of the substance or mixture and uses advised against

Acoustical ceiling tiles

Details of the supplier of the safety data sheet

Company Name Armstrong World Industries, Inc.
2500 Columbia Avenue, P.O. Box 3001
Lancaster, PA 17604

Emergency

24 hour Emergency Telephone No. (800) 255-3924 (ChemTel)

Customer Service: (877) 276-7876

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200 revised 2024 (GHS revision 7)).

The substance is not classified according to the OSHA Hazcom or WHMIS regulations.

Label elements

The substance is not classified according to the OSHA Hazcom or WHMIS regulations.

[Prevention]

No GHS prevention statements

[Response]

No GHS response statements

[Storage]

No GHS storage statements

[Disposal]

No GHS disposal statements

Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|--|-----------|--------------------|-------------------|
| Glass oxide, glass CAS Number: 65997-17-3 Synonyms: Borosilicate glass, Glass, oxide, chemicals | 80 - 100 | Not Classified | No data available |
| Urea CAS Number: 57-13-6 Synonyms: Urea | 3 - 7 | Not Classified | No data available |
| Limestone CAS Number: 1317-65-3 Synonyms: Calcium carbonate | 3 - 7 | Not Classified | No data available |
| Starch, polymer with 2-propenoic acid, graft, sodium salt CAS Number: 60323-79-7 Synonyms: Starch, polymer with 2-propenoic acid, sodium salt | 3 - 7 | Not Classified | No data available |
| calcined china clay CAS Number: 92704-41-1 Synonyms: Kaolin, calcined | 3 - 7 | Not Classified | No data available |
| Pregelatinized Starch CAS Number: 9005-25-8 Synonyms: Sago starch | 1 - 5 | Not Classified | No data available |
| Calcium carbonate CAS Number: 471-34-1 Synonyms: Calcium carbonate | 1 - 5 | Not Classified | No data available |
| Dolomite CAS Number: 16389-88-1 Synonyms: Dolomite | 1 - 5 | Not Classified | No data available |
| Titanium dioxide CAS Number: 13463-67-7 Synonyms: Titanium Dioxide, CI 77891 | 1 - 5 | Not Classified | No data available |
| Fats and Glyceridic oils, vegetable, polymd., oxidized CAS Number: 68918-91-2 Synonyms: Fats and Glyceridic oils, vegetable, polymerized, oxidized | 0.5 - 1.5 | Not Classified | No data available |

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

| | |
|--|---|
| Skin | Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. |
| Ingestion | If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | |
| Overview | No specific symptom data available. Treat symptomatically. |

Section 5. Fire-fighting measures

Extinguishing media

Carbon dioxide, regular dry chemical, regular foam, water spray.

Special hazards arising from the substance or mixture

Hazardous decomposition: Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Combustible dust. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Keep away from sources of ignition - No smoking. Avoid inhalation of material or combustion by-products. Move material from fire area if it can be done without risk. Use extinguishing agents appropriate for surrounding fire. Dike for later disposal. Stay upwind and keep out of low areas.

Firefighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

ERG Guide No. ---

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Methods and material for containment and cleaning up

Keep out of water supplies, sewers and soil. In case of spillage, stop the flow of material and block any potential routes to water systems. Collect spilled material using mechanical equipment. Keep unnecessary people away, isolate hazard area and deny entry. Avoid dust generation and accumulation. Keep container tightly closed. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Use non-sparking tools and equipment.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Do not handle until all safety precautions have been read and understood. Keep away from all ignition sources. Do not breathe dust. Use methods to minimize dust. Avoid contact with skin and eyes. Do not eat, drink, or smoke when using this product. Always wear recommended personal protective equipment. Wear personal protective clothing and equipment, see Section 8. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Take precautionary measures against static discharge. Dissipate static electricity during transfer by earthing (grounding and bonding) containers and equipment.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place. Store in a well-ventilated place. Avoid contact with molten material. Keep separated from incompatible substances. Keep container tightly closed. Empty containers may contain product residue. Do not reuse empty containers without commercial cleaning or reconditioning. Store and handle in accordance with all current regulations and standards.

Incompatible materials: No data available.

Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|------------|-----------------------|--------|---|
| 57-13-6 | Urea | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| 471-34-1 | Calcium carbonate | OSHA | TWA 10 mg/m ³ (total) TWA 5 mg/m ³ (resp) |
| | | ACGIH | No Established Limit |
| | | NIOSH | TWA 10 mg/m ³ (total) TWA 5 mg/m ³ (resp) |
| 1317-65-3 | Limestone | OSHA | TWA 15 mg/m ³ (total) TWA 5 mg/m ³ (resp) |
| | | ACGIH | TWA: 10 mg/m ³ Ceiling: 20 mg/m ³ |
| | | NIOSH | TWA 10 mg/m ³ (total) TWA 5 mg/m ³ (resp) |
| 9005-25-8 | Pregelatinized Starch | OSHA | TWA 15 mg/m ³ (total) TWA 5 mg/m ³ (resp) |
| | | ACGIH | 10 mg/m ³ |
| | | NIOSH | TWA 10 mg/m ³ (total) TWA 5 mg/m ³ (resp) |
| 13463-67-7 | Titanium dioxide | OSHA | TWA 15 mg/m ³ |
| | | ACGIH | Nanoscale 0.2 mg/m ³ (R) Respirable fraction - finescale 2.5 mg/m ³ ® |
| | | NIOSH | Footnote ca |
| 16389-88-1 | Dolomite | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |

| | | | |
|------------|---|-------|---|
| 60323-79-7 | Starch, polymer with 2-propenoic acid, graft, sodium salt | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| 65997-17-3 | Glass oxide, glass | OSHA | 15 mg/m ³ (as nuisance dust) 5 mg/m ³ (respirable fraction) |
| | | ACGIH | 10 mg/m ³ (as nuisance dust) 5 mg/m ³ (respirable fraction) |
| | | NIOSH | No Established Limit |
| 68918-91-2 | Fats and Glyceridic oils, vegetable, polymd., oxidized | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| 92704-41-1 | calcined china clay | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |

Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit, they must use the appropriate, certified respirators.

Eyes

Protective safety glasses recommended

Skin

Protective gloves recommended.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

| | |
|---|--|
| Physical State | Solid |
| Color | Various Colors |
| Odor | None |
| Melting point / freezing point | Not Available |
| Initial boiling point and boiling range | Not Available |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: Not Available Upper Explosive Limit: Not Available |
| Flash Point | Not Available |
| Auto-ignition temperature | Not Available |
| Decomposition temperature | Not Available |
| pH | Not Available |
| Viscosity (cSt) | Not Available |
| Solubility in Water | Insoluble |

| | |
|--|---------------|
| Partition coefficient n-octanol/water (Log Kow) | Not Available |
| Vapor pressure (Pa) | Not Available |
| Relative Density | Not Available |
| Vapor Density | Not Available |
| Particle Characteristics | --- |
| Evaporation rate (Ether = 1) | Not Available |
| VOC Content | Not Available |

Other information

No other relevant information.

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No data available.

Conditions to avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials. Avoid generating dust. Avoid contact with molten material.

Incompatible materials

No data available.

Hazardous decomposition products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|--|-------------------------------|--------------------|---------------------------------|-------------------------------------|--------------------------|
| Glass oxide, glass - (65997-17-3) | No data available. | No data available. | No data available. | No data available. | No data available. |
| Urea - (57-13-6) | 14,300.00, Rat - Category: NA | No data available. | No data available. | No data available. | No data available. |
| Limestone - (1317-65-3) | No data available. | No data available. | No data available. | No data available. | No data available. |
| Starch, polymer with 2-propenoic acid, graft, sodium salt - (60323-79-7) | No data available. | No data available. | No data available. | No data available. | No data available. |
| calcined china clay - (92704-41-1) | No data available. | No data available. | No data available. | No data available. | No data available. |

| | | | | | |
|---|---------------------------------|------------------------------|--------------------|--------------------------|--------------------|
| Pregelatinized Starch - (9005-25-8) | No data available. | No data available. | No data available. | No data available. | No data available. |
| Calcium carbonate - (471-34-1) | >2,000.00, Rat - Category: 5 | >2,000.00, Rat - Category: 5 | No data available. | No data available. | No data available. |
| Dolomite - (16389-88-1) | 5,000.00, Rat - Category: 5 | No data available. | No data available. | No data available. | No data available. |
| Titanium dioxide - (13463-67-7) | > 25,000.00, Rat - Category: NA | No data available. | No data available. | 6.82, Rat - Category: NA | No data available. |
| Fats and Glyceridic oils, vegetable, polymd., oxidized - (68918-91-2) | No data available. | No data available. | No data available. | No data available. | No data available. |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|------------|---|--------|--|
| 57-13-6 | Urea | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 471-34-1 | Calcium carbonate | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 1317-65-3 | Limestone | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 9005-25-8 | Pregelatinized Starch | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | A4 |
| 13463-67-7 | Titanium dioxide | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; |
| | | ACGIH | A4 |
| 16389-88-1 | Dolomite | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 60323-79-7 | Starch, polymer with 2-propenoic acid, graft, sodium salt | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 65997-17-3 | Glass oxide, glass | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 68918-91-2 | | OSHA | Regulated Carcinogen: No; |

| | | | |
|------------|--|-------|---|
| | Fats and Glyceridic oils, vegetable, polymd., oxidized | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 92704-41-1 | calcined china clay | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |

| Classification | Category | Hazard Description |
|-------------------------------|----------|--------------------|
| Acute toxicity (oral) | --- | Not Applicable |
| Acute toxicity (dermal) | --- | Not Applicable |
| Acute toxicity (inhalation) | --- | Not Applicable |
| Skin corrosion/irritation | --- | Not Applicable |
| Serious eye damage/irritation | --- | Not Applicable |
| Respiratory sensitization | --- | Not Applicable |
| Skin sensitization | --- | Not Applicable |
| Germ cell mutagenicity | --- | Not Applicable |
| Carcinogenicity | --- | Not Applicable |
| Reproductive toxicity | --- | Not Applicable |
| STOT-single exposure | --- | Not Applicable |
| STOT-repeated exposure | --- | Not Applicable |
| Aspiration hazard | --- | Not Applicable |

Possible routes of entry: No data available.

Symptoms and effects, both acute and delayed:

No specific symptom data available.

Treat symptomatically.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/L | 48 hr EC50 crustacea, mg/L | ErC50 algae, mg/L |
|--|-------------------------------|----------------------------|--------------------|
| Glass oxide, glass - (65997-17-3) | > 1,000, Danio rerio | No data available. | No data available. |
| Urea - (57-13-6) | 22,500.00, Tilapia mossambica | No data available. | No data available. |
| Limestone - (1317-65-3) | No data available. | No data available. | No data available. |
| Starch, polymer with 2-propenoic acid, graft, sodium salt - (60323-79-7) | No data available. | No data available. | No data available. |
| calcined china clay - (92704-41-1) | No data available. | No data available. | No data available. |
| Pregelatinized Starch - (9005-25-8) | No data available. | No data available. | No data available. |

| | | | |
|---|-----------------------------|-----------------------|---|
| Calcium carbonate - (471-34-1) | 101.00, Oncorhynchus mykiss | 101.00, Daphnia magna | No data available. |
| Dolomite - (16389-88-1) | No data available. | No data available. | No data available. |
| Titanium dioxide - (13463-67-7) | 294.00, Oryzias latipes | 501.00, Daphnia magna | 101.00, Pseudokirchneriella subcapitata |
| Fats and Glyceridic oils, vegetable, polymd., oxidized - (68918-91-2) | No data available. | No data available. | No data available. |

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

Not Available

Mobility in soil

No data available.

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Other adverse effects

No data available.

Section 13. Disposal considerations

Waste treatment methods

Waste should not be released to sewers. Observe all federal, state, and local regulations when disposing of this substance.

Section 14. Transport information

| | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|-------------------------------------|---|---|--|
| UN number | Not Regulated | Not Regulated | Not Regulated |
| UN proper shipping name | Not Regulated | Not Regulated | Not Regulated |
| Transport hazard class(es) | DOT Hazard Class: Not Applicable Sub Class: Not Applicable | IMDG: Not Applicable Sub Class: Not Applicable | Air Class: Not Applicable Sub Class: Not Applicable |
| Packing group | Not Applicable | Not Applicable | Not Applicable |
| Environmental hazards | Marine Pollutant: No; | | |
| Special precautions for user | Not Applicable | | |

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Toxic Substance Control Act (TSCA)

| CAS Number | Ingredient | Toxic Substance Control Act (TSCA) | Comments | Status |
|--------------|---|------------------------------------|----------|--------|
| 0025265-77-4 | 2,2,4-trimethyl-1,3-pentanediol monoisobutyrate | Yes | | ACTIVE |
| 0129898-01-7 | 2-Propenoic acid, polymer with sodium phosphinate (1:1), sodium salt | Yes | PMN; XU | ACTIVE |
| 0068891-38-3 | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | Yes | UVCB XU | ACTIVE |
| 0068155-39-5 | alkyl ethoxylated amines | Yes | UVCB XU | ACTIVE |
| 0021645-51-2 | Aluminium hydroxide | Yes | | ACTIVE |
| 0007429-90-5 | Aluminum powder (Al) (stabilized) | Yes | | ACTIVE |
| 0007631-86-9 | Amorphous Silica | Yes | | ACTIVE |
| 0007727-43-7 | Barium sulfate | Yes | | ACTIVE |
| 0092704-41-1 | calcined china clay | Yes | UVCB | ACTIVE |
| 0000471-34-1 | Calcium carbonate | Yes | | ACTIVE |
| 0000546-93-0 | Carbonic acid, magnesium salt (1:1) | Yes | | ACTIVE |
| 0009063-87-0 | Carbopol 674 | No | | |
| 0000077-92-9 | Citric acid | Yes | | ACTIVE |
| 0014464-46-1 | Cristobalite | Yes | | ACTIVE |
| 0014808-60-7 | Crystalline silica (Quartz) (respirable) | Yes | Present | |
| 0027138-31-4 | dipropylene glycol dibenzoate | Yes | | ACTIVE |
| 0016389-88-1 | Dolomite | Yes | | ACTIVE |
| 0068441-17-8 | Ethene, homopolymer, oxidized | Yes | UVCB XU | ACTIVE |
| 0068918-91-2 | Fats and Glyceridic oils, vegetable, polymd., oxidized | Yes | UVCB XU | ACTIVE |
| 0068604-67-1 | Fatty acids, coco, polymers with benzoic acid, pentaerythritol and phthalic anhydride | Yes | UVCB XU | ACTIVE |
| 0065997-17-3 | Glass oxide, glass | Yes | UVCB | ACTIVE |
| 0007439-89-6 | Iron | Yes | | ACTIVE |
| 0068855-54-9 | Kieselguhr,soda ash flux-calcined | Yes | UVCB | ACTIVE |
| 0001317-65-3 | Limestone | Yes | UVCB | ACTIVE |
| 0007439-95-4 | Magnesium | Yes | | ACTIVE |
| 0012174-11-7 | Magnesium aluminium silicate | No | | |
| 0007439-96-5 | Manganese compounds (as Mn) | Yes | | ACTIVE |
| 0012001-26-2 | MICA | Yes | | ACTIVE |
| 0308336-53-0 | Oxirane 2-Phenyl-, polymer, mono(dihydrogen phosphate) decyl ether | Yes | PMN; XU | ACTIVE |
| 0064742-51-4 | Paraffin waxes (petroleum), hydrotreated | Yes | UVCB | ACTIVE |

| | | | | |
|--------------|---|-----|----------------|--------|
| 0009002-89-5 | Polyvinyl alcohol | Yes | XU | ACTIVE |
| 0009005-25-8 | Pregelatinized Starch | Yes | XU | ACTIVE |
| 0002943-75-1 | Silane, triethoxyoctyl- | Yes | | ACTIVE |
| 0001344-00-9 | Silicic acid, aluminum sodium salt | Yes | | ACTIVE |
| 0007440-21-3 | Silicon | Yes | | ACTIVE |
| 0063148-57-2 | Siloxane | Yes | UVCB XU | ACTIVE |
| 0060323-79-7 | Starch, polymer with 2-propenoic acid, graft, sodium salt | Yes | FRI; XU; Y1 | ACTIVE |
| 0013463-67-7 | Titanium dioxide | Yes | | ACTIVE |
| 0000057-13-6 | Urea | Yes | | ACTIVE |
| 0138265-88-0 | Zinc borate | No | | |

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Glass oxide, glass

Proposition 65 - Carcinogens (>0.0%):

Crystalline silica (Quartz) (respirable)

Magnesium aluminium silicate

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Crystalline silica (Quartz) (respirable), Magnesium aluminum silicate], which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Section 16. Other information

Revision Date 07/24/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document