

## 1. Identification

### 1.1. Product identifier

**Product Identity**

Mineral Fiber Templok® Ceiling Panels

**Alternate Names**

Ultima® Templok® Ceiling Panels, Calla® Templok® Ceiling Panels,  
School Zone® Fine Fissured™ Ceiling Panels

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use**

Building/construction product.

### 1.3. Details of the supplier of the safety data sheet

**Company Name**

Armstrong World Industries, Inc.  
2500 Columbia Avenue, P.O. Box 3001  
Lancaster, PA 17604

**Emergency**

**24 hour Emergency Telephone No.**

(800) 255-3924 (ChemTel)

**Customer Service:**

(877) 276-7876

## 2. Hazard(s) identification

### 2.1. Classification of the substance or mixture

Acute Tox. 4;H302	Harmful if swallowed.
Skin Irrit. 2;H315	Causes skin irritation.
Eye Dam. 2A;H319	Causes serious eye irritation.
STOT SE 3;H335	May cause respiratory irritation.

### 2.2. Label elements



## Warning

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

### [Prevention]

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves, eye protection, and face protection.

**[Response]**

P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P330 IF SWALLOWED: Rinse mouth.

P332+313 If skin irritation occurs: Get medical attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362 Take off contaminated clothing and wash before reuse.

**[Storage]**

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

**[Disposal]**

P501 Dispose of contents or container in accordance with local and national regulations.

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Calcium chloride CAS Number: 0010035-04-8	25 - 50	Acute Tox. 4;H302 Skin Irrit. 2;H315 Eye Irrit. 2;H319 STOT SE 3;H335	----
Glass oxide, glass CAS Number: 0065997-17-3	25 - 50	Not Classified	----
Perlite CAS Number: 0130885-09-5	5 - 10	Not Classified	----
PVC (Chloroethylene, polymer) CAS Number: 0009002-86-2	5 - 10	Not Classified	----
Kaolin CAS Number: 0001332-58-7	1 - 5	Not Classified	----
Pregelatinized Starch CAS Number: 0009005-25-8	1 - 5	Not Classified	----
Cellulose CAS Number: 0009004-34-6	1 - 5	Not Classified	----
Calcium carbonate CAS Number: 0001317-65-3	1 - 5	Not Classified	----
Calcium carbonate CAS Number: 0000471-34-1	1 - 5	Not Classified	----
Potassium bromide CAS Number: 0007758-02-3	1 - 5	Eye Irrit. 2;H319	----

Potassium nitrate CAS Number: 0007757-79-1	1 - 5	Ox. Sol. 2;H272 Skin Irrit. 2;H315 Eye Irrit. 2;H319 STOT SE 3;H335	----
-----------------------------------------------	-------	------------------------------------------------------------------------------	------

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

\*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### 4.1. Description of first aid measures

<b>General</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Overview</b>	No specific symptom data available. Treat symptomatically. Check section 2.2 (GHS Label Elements) for further details.
<b>Inhalation</b>	May cause respiratory irritation.
<b>Eyes</b>	Causes serious eye irritation.
<b>Skin</b>	Causes skin irritation.
<b>Ingestion</b>	Harmful if swallowed.

## Section 5. Fire-fighting measures

### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sup>2</sup>, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust, fume, gas, mist, vapors, spray.

### 5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

**ERG Guide No.** ---

## Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Sweep up solids and vacuum dust.

## Section 7. Handling and storage

#### 7.1. Precautions for safe handling

The panel boards are not supposed to be cut, to avoid additional exposure.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

#### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: No data available.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

#### 7.3. Specific end use(s)

No data available.

## Section 8. Exposure controls / personal protection

#### 8.1. Control parameters

Exposure			
CAS No.	Ingredient	Source	Value
0000471-34-1	Calcium carbonate	OSHA	TWA 10 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
		ACGIH	No Established Limit
		NIOSH	TWA 10 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
0001317-65-3	Calcium carbonate	OSHA	TWA 15 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
		ACGIH	TWA: 10 mg/m <sup>3</sup> Ceiling: 20 mg/m <sup>3</sup>
		NIOSH	TWA 10 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
0001332-58-7	Kaolin	OSHA	TWA 15 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
		ACGIH	TWA: 2 mg/m <sup>3</sup>
		NIOSH	TWA 10 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
0007757-79-1	Potassium nitrate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0007758-02-3	Potassium bromide	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

0009002-86-2	PVC (Chloroethylene, polymer)	OSHA	No Established Limit
		ACGIH	TWA: 1 mg/m <sup>3</sup>
		NIOSH	No Established Limit
0009004-34-6	Cellulose	OSHA	TWA 10 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
		ACGIH	TWA: 10 mg/m <sup>3</sup>
		NIOSH	TWA 10 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
0009005-25-8	Pregelatinized Starch	OSHA	TWA 15 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
		ACGIH	TWA: 10 mg/m <sup>3</sup>
		NIOSH	TWA 10 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (resp)
0010035-04-8	Calcium chloride	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0065997-17-3	Glass oxide, glass	OSHA	15 mg/m <sup>3</sup> (as nuisance dust) 5 mg/m <sup>3</sup> (respirable fraction)
		ACGIH	10 mg/m <sup>3</sup> (as nuisance dust) 5 mg/m <sup>3</sup> (respirable fraction)
		NIOSH	No Established Limit
0130885-09-5	Perlite	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

## 8.2. Exposure controls

### Respiratory

If workers are exposed to concentrations above the exposure limit, they must use the appropriate, certified respirators.

### Eyes

Wear safety glasses with side shields to protect the eyes. An eye wash station is suggested as a good workplace practice.

### Skin

Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's recommendations regarding the suitability of any gloves used.

### Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

### Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

## Section 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Color: White  
Physical State: Solid

#### Odor

No Odor

#### Odor threshold

Not determined

#### pH

Not Measured

#### Melting point / freezing point

Not Measured

#### Initial boiling point and boiling range

Not Measured

#### Flash Point

Not Measured

Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	<b>Lower Explosive Limit:</b> Not Measured <b>Upper Explosive Limit:</b> Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Relative Density	Not Measured
Solubility in Water	Insoluble
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
VOC Content	
Particle Characteristics	---

#### 9.2. Other information

No other relevant information.

## Section 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

## Section 11. Toxicological information

### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Calcium chloride - (10035-04-8)	No data available.	No data available.	No data available.	No data available.	No data available.
Glass oxide, glass - (65997-17-3)	No data available.	No data available.	No data available.	No data available.	No data available.
Perlite - (130885-09-5)	No data available.	No data available.	No data available.	No data available.	No data available.
PVC (Chloroethylene, polymer) - (9002-86-2)	No data available.	No data available.	No data available.	No data available.	No data available.
Kaolin - (1332-58-7)	No data available.	No data available.	No data available.	No data available.	No data available.
Pregelatinized Starch - (9005-25-8)	No data available.	No data available.	No data available.	No data available.	No data available.
Cellulose - (9004-34-6)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	No data available.	No data available.
Calcium carbonate - (1317-65-3)	No data available.	No data available.	No data available.	No data available.	No data available.
Calcium carbonate - (471-34-1)	>2,000.00, Rat - Category: 5	>2,000.00, Rat - Category: 5	No data available.	No data available.	No data available.
Potassium bromide - (7758-02-3)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	No data available.	No data available.
Potassium nitrate - (7757-79-1)	3,750.00, Rat - Category: 5	No data available.	No data available.	No data available.	No data available.

### Carcinogen Data

CAS No.	Ingredient	Source	Value
0000471-34-1	Calcium carbonate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0001317-65-3	Calcium carbonate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0001332-58-7	Kaolin	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	A4
0007757-79-1	Potassium nitrate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;

**Safety Data Sheet**  
**Mineral Fiber Templok® Ceiling**  
**Panels**

**Revision**  
**Date: 10/14/2024**

		IARC	Group 1: No; Group 2a: Yes; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0007758-02-3	Potassium bromide	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0009002-86-2	PVC (Chloroethylene, polymer)	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
		ACGIH	A4
0009004-34-6	Cellulose	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0009005-25-8	Pregelatinized Starch	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	A4
0010035-04-8	Calcium chloride	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0065997-17-3	Glass oxide, glass	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0130885-09-5	Perlite	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit

<b>Classification</b>	<b>Category</b>	<b>Hazard Description</b>
Acute toxicity (oral)	4	Harmful if swallowed.
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2A	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-single exposure	3	May cause respiratory irritation.



STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

## Section 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Calcium chloride - (10035-04-8)	No data available.	No data available.	No data available.
Glass oxide, glass - (65997-17-3)	> 1,000, Danio rerio	No data available.	No data available.
Perlite - (130885-09-5)	No data available.	No data available.	No data available.
PVC (Chloroethylene, polymer) - (9002-86-2)	No data available.	No data available.	No data available.
Kaolin - (1332-58-7)	No data available.	No data available.	No data available.
Pregelatinized Starch - (9005-25-8)	No data available.	No data available.	No data available.
Cellulose - (9004-34-6)	100.00, Fish (Piscis)	No data available.	No data available.
Calcium carbonate - (1317-65-3)	No data available.	No data available.	No data available.
Calcium carbonate - (471-34-1)	101.00, Oncorhynchus mykiss	101.00, Daphnia magna	No data available.
Potassium bromide - (7758-02-3)	> 1,000, Oncorhynchus mykiss	1,000.00, Daphnia magna	441.00, Skeletonema costatum
Potassium nitrate - (7757-79-1)	22.50, Gambusia affinis	No data available.	228.00, Daphnia magna

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

## Section 13. Disposal considerations

### 13.1. Waste treatment methods

Waste should not be released to sewers. Observe all federal, state, and local regulations when disposing of this substance.

## Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	<b>DOT Hazard Class:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable <b>Sub Class:</b> Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards	Marine Pollutant: No;		
14.6. Special precautions for user	Not Applicable		

## Section 15. Regulatory information

<b>Regulatory Overview</b>	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
<b>Toxic Substance Control Act (TSCA)</b>	All components of this material are either listed or exempt from listing on the TSCA Inventory.

### EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### EPCRA 313 Toxic Chemicals:

Glass oxide, glass

Potassium nitrate

### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

<b>Section 16. Other information</b>
--------------------------------------

**Revision Date** 10/14/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document