

CUSTOM
IMAGES AND
PATTERNS

CREATE![™]
Ultima[®], Ultima[®] Health Zone[™], and Optima[®]

Inspiring Great Spaces[™]

Armstrong[®]

CEILING & WALL SYSTEMS

Steps to Create!

1a

Create Your Own, Original Artwork*

Original Artwork Guidelines:

- Artwork must be vector-based
- Acceptable file types:
 - Adobe® Illustrator® – .ai
 - Encapsulated PostScript – .eps
 - Scalable Vector Graphics – .svg
- Acceptable Color Mode: CMYK

Original Digital Image Requirements:

- Image must be 150 dpi at full print size
- Acceptable file types:
 - Joint Photographic Experts Group – .jpg
 - Tagged Image File Format – .tiff

1b

Or Choose from One of These Stock Designs

Stars

24" x 24"



Single Panel Design 041

24" x 24"



Single Panel Design 042

24" x 24"



Single Panel Design 043

Bubbles

24" x 24"



Single Panel Design 011

24" x 24"



Single Panel Design 012


24" x 24"



Single Panel Design 013


Blooms

24" x 24"



Single Panel Design 021

48" x 48"



4-Panel Design 022
(Add A, B, C, or D for individual panel order)


Dragonflies

24" x 24"



Single Panel Design 051

48" x 48"




4-Panel Design 052
(Add A, B, C, or D for individual panel order)

Wood Looks Available on Ultima® Health Zone™ Create!™ Square Lay-in Panels
Due to printing limitations, shade may vary from actual product.



Bamboo (BA)



Barnwood (BW)



Light Cherry (LC)



Oak (OK)



Walnut (WN)



2

Import Reversed Artwork into Reflected** Ceiling Plan Showing 24" x 24" Suspension System Overlay Over Artwork

Architectural Drawing Guidelines:

- Acceptable file types:
 - Portable Document Format – .pdf



Reflected Ceiling Plan




Artwork View of Design

*Armstrong does not provide graphic design assistance.

** A reflected ceiling plan shows a view of the room as if looking from above, through the ceiling, at a mirror installed one foot below the ceiling showing the reflected image of the ceiling above.


3

Select Create!™ Ceiling Panel and Suspension System




Vector® Panel and Prelude® XL®
(White suspension system recommended for Vector)

- Ultima® Create!™ Z1920UC1
- Optima® Create!™ Z39010C1




Tegular Panel and Silhouette® XL® 1/4" Reveal

- Ultima Create! Z1912UC1
- Ultima® Health Zone™ Create! Z1936UC1



Tegular Panel and Silhouette XL 1/8" Reveal

- Ultima Create! Z1910UC1
- Ultima Health Zone Create! Z1935UC1_ _
- Optima Create! Z33520C1




Lay-in Panel and Prelude XL

4


Select Perimeter Angle at Wall

Seismic


- Vector Seismic Shadow 7897 & BERC2



- Tegular and Lay-in Seismic Shadow 7877 & BERC2




- Tegular and Lay-in Seismic 7800 & BERC2




Non-seismic


- Vector Shadow 7875



- Tegular and Lay-in Shadow 7873




- Tegular and Lay-in 7804




5

Select Perimeter Trim at Floating Edge





- Axiom® Classic* straight or curved



- Axiom® Knife Edge®*



- Axiom Profiled



* Vector compatible Axiom available if desired

6

Select Suspension System and Trim Colors

Visit armstrong.com/createcolors to get information about coordinated Armstrong colors.



7

Complete Create! Project Information Form

Complete the project information form found at armstrong.com/createform. This form must accompany all Create! orders and sample orders.

8

Custom Samples

Custom samples are available and highly recommended. Due to the custom nature of the product and the spectrum of colors available, a fee and shipping charges apply for custom samples. Please contact your Armstrong Commercial Ceiling Systems representative for custom samples.

Create!™ the ceiling of your dreams

KEY SELECTION ATTRIBUTES

- Artistic designs have broad appeal and complement unique interior design
- Mix and match designs with standard Ultima®, Ultima® Health Zone™, and Optima®
- Excellent sound absorption – NRC 0.70 – 0.90
- All the high performance benefits of Ultima or Optima fine-textured ceilings:
 - Water-repellent (Ultima Health Zone)
- Product is directional
- Custom samples available
- Can contribute to LEED® credits

TYPICAL APPLICATIONS

- Classrooms
- Libraries/media centers
- Lobbies/reception areas
- Retail
- Restaurant

VISUAL SELECTION

Edge Profile Item Dimensions
Suspension System No. (Inches)

ULTIMA® or OPTIMA® Create!™ Square Lay-in

| | | | |
|-------------------------|-----------------|------------------|--|
| for 15/16" Prelude® XL® | Z1910UC1 | 24 x 24 x 3/4" □ | |
| | Z33520C1 | 24 x 24 x 1" □ | |

ULTIMA Create! Tegular

| | | | |
|-----------------------------------------------------|-----------------|------------------|--|
| for 9/16" Silhouette® XL® ONLY; 1/4" or 1/8" Reveal | Z1912UC1 | 24 x 24 x 3/4" □ | |
|-----------------------------------------------------|-----------------|------------------|--|

ULTIMA® or OPTIMA® Create!™ Vector®

| | | | |
|------------------------------------|-----------------|------------------|--|
| for 15/16" Prelude XL (White only) | Z1920UC1 | 24 x 24 x 3/4" □ | |
| | Z39010C1 | 24 x 24 x 7/8" □ | |

ULTIMA® Health Zone™ Create!™ Square Lay-in

| | | | |
|-----------------------|----------------------|------------------|--|
| for 15/16" Prelude XL | Z1935UC1 _ ♦♦ | 24 x 24 x 3/4" □ | |
|-----------------------|----------------------|------------------|--|

ULTIMA® Health Zone™ Create!™ Tegular

| | | | |
|---------------------------------------------------|-----------------|------------------|--|
| for 9/16" Silhouette XL ONLY; 1/4" or 1/8" Reveal | Z1936UC1 | 24 x 24 x 3/4" □ | |
|---------------------------------------------------|-----------------|------------------|--|

NOTE: Replacement panels may vary slightly in color due to material variations over time. Product could have slight color variation from run to run; adequate attic stock should be ordered. Ultima Health Zone ceilings have different scrim surface than Ultima or Optima which may affect color.

PERFORMANCE SELECTION

Dots represent high level of performance.

| UL Classified Acoustics | | Total Acoustics ¹ | Fire Rating | Anti-Mold & Mildew | Sag Resist | Water Repel | Wash | Soil | Recycled Content | Recycle Program | 30-Yr Warranty |
|-------------------------|---|------------------------------|-------------|--------------------|-------------|-------------|-------------|------------|------------------|-----------------|----------------|
| NRC | + | CAC | = | NRC + CAC | Fire Rating | Bio-Block | Humi-Guard+ | Durability | Recycled Content | Recycle Program | 30-Yr Warranty |
| 0.70 | • | 35 | • | ✓ | Class A | • | • | - | • | • | • |
| 0.90 | • | 26 | - | Class A | • | • | - | • | • | • | • |
| 0.70 | • | 35 | ✓ | Class A | • | • | - | • | • | • | • |
| 0.70 | • | 33 | - | Class A | • | • | - | • | • | • | • |
| 0.80 | • | 26 | - | Class A | • | • | - | • | • | • | • |
| 0.70 | • | 38 | ✓ | Class A | • | • | • | • | • | • | • |
| 0.70 | • | 38 | ✓ | Class A | • | • | • | • | • | • | • |

¹ Total Acoustics™ ceiling panels have an ideal combination of noise reduction and sound-blocking performance in one product. Based on image/color coverage, NRC may vary slightly.

♦♦ Add 2-letter color suffix to item when specifying or ordering standard Wood Looks items. (e.g., Z1935UC1 L D)

Cover Image

PRODUCT

Ultima® Create!™ Vector® panels with Prelude® XL® 15/16" suspension system

LOCATION

Springmill Learning Center, Springmill, OH

DESIGN

Splashmakers LLC, Mansfield, OH

LEED® is a registered trademark of the U.S. Green Building Council
 Adobe® Illustrator® is a registered trademark of Adobe Systems Incorporated
 RAL is a registered trademark of RAL gGmbH
 All other trademarks used herein are the property of AWI Licensing Company and/or its affiliates
 © 2015 AWI Licensing Company • Printed in the United States of America

TechLineSM / 1 877 ARMSTRONG
 1 877 276 7876
armstrong.com/acoustics

Inspiring Great Spaces™



CEILING & WALL SYSTEMS