Kitchen Zone - Acoustical Ceiling Panel by Armstrong World Industries

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 51 00

PRODUCT DESCRIPTION: A better option to vinyl-covered gypsum, this panel offers a lower cost, lighter weight, more pieces per carton, and meets USDA/FSIS guidelines. KEY FEATURES Easier to cut with less dust Recyclable through Armstrong Recycling Program Brighter visual with 20% more light reflectance than vinyl-covered gypsum Durable – Waterrepellent, Washable, Scratch-resistant, Soil-resistant Smooth surface meets USDA/FSIS guidelines for use in food processing areas



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method Basic Method

Threshold Disclosed Per

O	Material
0	Product

Th	res	hol	ld I	leve

- 100 ppm C 1,000 ppm
- C Per GHS SDS C Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered Not Considered
- Explanation(s) provided

for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

% weight and role provided for all substances.

 ○ Yes Ex/SC Yes No Characterized

O Yes Ex/SC O Yes O No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

KITCHEN ZONE - ACOUSTICAL CEILING PANEL [PERLITE ORE NoGS CELLULOSE NoGS GLASS, OXIDE, CHEMICALS LT-UNK | CAN CLAY LT-UNK | CAN CORN STARCH LT-UNK CRISTOBALITE (SIO2) LT-1 | CAN TRIETHOXYOCTYLSILANE LT-UNK FATTY ACIDS, C14-18 AND C16-18-UNSATD., CALCIUM SALTS NoGS QUARTZ LT-1 | CAN SYRUPS, HYDROLYZED STARCH NoGS AMORPHOUS SILICA LT-P1 | CAN ALUMINUM HYDROXIDE BM-2 | RES POLY(OXY-1,2-ETHANEDIYL), α-[3,5-DIMETHYL-1-(2-METHYLPROPYL)HEXYL]-ω-HYDROXY- LT-UNK 1H-IMIDAZOLE, 1-METHYL- LT-UNK | SKI CALCIUM CARBONATE LT-UNK POLYVINYL ACETATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END KIESELGUHR, SODA ASH FLUX-CALCINED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold Material content migration: Declare Label

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER: **VERIFICATION #:**

SCREENING DATE: 2019-09-04 PUBLISHED DATE: 2019-09-04 EXPIRY DATE: 2022-09-04



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

KITCHEN ZONE - ACOUSTICAL CEILING PANEL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES:

PERLITE ORE ID: 130885-09-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-09-04 %: 45.00 - 50.00 BOLE: Filler GS: NoGS **RC:** None NANO: NO HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: Filler in panel

CELLULOSE ID: 9004-34-6 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-09-04 %: 15.00 - 20.00 GS: NoGS RC: Both ROLE: Binder NANO: No HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: Binder in panel

GLASS, OXIDE, CHEMICALS ID: 65997-17-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-09-04 %: 10.00 - 15.00 GS: LT-UNK RC: Both NANO: **No** ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
SUBSTANCE NOTES: Filler in panel		

CLAY	ID: 1332-58-7
HAZARD CORECAING METHOD. Pharoc Chamical and Materials Library	HAZARD COREFAING DATE, 2010-00-04

CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		carcinogenic effects	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
%: 5.00 - 10.00	GS: LT-UNK	RC: None	nano: No	ROLE: Filler	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-09-04		

SUBSTANCE NOTES: Filler in board

CORN STARCH ID: 9005-25-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-09-04		
%: 5.00 - 10.00	GS: LT-UNK	RC: PreC	nano: No	ROLE: Starch - Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings for	ound on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Binder in panel					

CRISTOBALITE (SIO2) ID: 14464-46-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 0.10	gs: LT-1	RC: None	nano: No	ROLE: Filler	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Australia	H350i - May cause cancer by inhalation
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: This ingredient is ibound within the coating and not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

TRIETHOXYOCTYLSILANE				
HAZARD SCREENING METHOD:	HAZARD SCREE	HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 0.10	gs: LT-UNK	RC: None	nano: No	ROLE: Water repellent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings for	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: Water	repellent in coating			

FATTY ACIDS, C14-18 AND C16-18-UNSATD., CALCIUM SALTS				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 0.10	GS: NoGS	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No v	warnings found on	HPD Priority Hazard Lists

QUARTZ				ID: 14808-60-7
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 0.10	GS: LT-1	RC: None	nano: No	ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Australia	H350i - May cause cancer by inhalation
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Quartz is bound within the coating and is not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

SYRUPS, HYDROLYZED STARCH

ID: 8029-43-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04			
%: 0.00 - 0.10	gs: NoGS	RC: None	nano: No	ROLE: Starch - Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings f	ound on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Binder	in coating				

AMORPHOUS SILICA ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04	
%: 0.00 - 0.10	gs: LT-P1	RC: None NANO: No ROLE: Pi	gment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CANCER	GHS - Australia	H350i - May cause cancer by inhalation	
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]	

SUBSTANCE NOTES: Silica is bound within the coating and not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

ALUMINUM HYDROXIDE ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 0.10	GS: BM-2	RC: None	nano: No	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs)	- sensitizer-induce	ed

POLY(OXY-1,2-ETHANEDIYL), α -[3,5-DIMETHYL-1-(2-METHYLPROPYL)HEXYL]- ω -HYDROXY-

ID: 60828-78-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-09-04		19-09-04			
%: 0.00 - 0.10	GS: LT-UNK		RC: None	nano: No	ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warning	s found on HP	D Priority Hazard Lists

SUBSTANCE NOTES: Ingredient in coating

SUBSTANCE NOTES: Pigment in coating

1H-IMIDAZOLE, 1-METHYL- ID: 616-47-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-09-04			
%: 0.00 - 5.00	gs: LT-UNK	RC: None	nano: No	ROLE: Reactant		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes	severe skin burns	s and eye damage		

SUBSTANCE NOTES: Reactant in coating

CALCIUM CARBONATE ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 5.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warn	ings found on HP	D Priority Hazard Lists

SUBSTANCE NOTES: Filler in coating

POLYVINYL ACETATE ID: 9003-20-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-09)-04
%: 0.00 - 1.00	gs: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No w	arnings found on h	HPD Priority Hazard Lists
SUBSTANCE NOTES: Polyv	inyl Acetate used in this product in not regulated	as a hazardous substan	ce.	

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-09-04		
%: 0.00 - 1.00	GS: LT-1	RC: None	NANO: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational	Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled fro			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	ocrine Disruptor		
CANCER	MAK	-	roup 3A - Evidenc ent to establish M	e of carcinogenic effects AK/BAT value	
CANCER	MAK	Carcinogen G		otoxic carcinogen with low	

SUBSTANCE NOTES: Titanium Dioxide is bound within the coating and is not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

KIESELGUHR, SODA ASH FLUX-CALCINED

ID: 68855-54-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-04			
%: 0.00 - 1.00	gs: LT-UNK	RC: None	nano: No	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	rnings found on HF	PD Priority Hazard List	



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL GreenGuard Gold

CERTIFYING PARTY: UL Enviroment

ISSUE DATE: 2019-

EXPIRY DATE: 2020-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: all

05-02

05-02

Environment

CERTIFICATE URL:

https://www.armstrongceilings.com/pdbupimages-

clg/221298.pdf/download/kitchen-zone-

greenguard-certificate.pdf

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold

MATERIAL CONTENT MIGRATION

Declare Label

08-29

CERTIFYING PARTY: ILFI

ISSUE DATE: 2019-

EXPIRY DATE: 2019-

09-08

CERTIFIER OR LAB: No Lab

APPLICABLE FACILITIES: all

CERTIFICATE URL:

https://www.armstrongceilings.com/commercial/en-

us/performance/sustainable-building-

design/declare-labels-commercial-

ceilings.html#redirect_term=Declare

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries

ADDRESS: 2500 Columbia Avenue

Building 5B

Lancaster PA 17603, United States

WEBSITE: www.armstrongceilings.com

CONTACT NAME: Anita Snader
TITLE: Sustainability Manager

PHONE: 17173966486

EMAIL: alsnader@armstrongceilings.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.