Armstrong Commercial Dune Ceiling Panels by Armstrong World Industries

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09510

PRODUCT DESCRIPTION: Armstrong Dune Ceilings are durable, fine-textured panels that offer a non-directional visual. Both durable and scratch-resistant, and the non-directional visual reduces scrap and installation time. An upgraded look at a modest price.



Section 1: Summary

Basic Method / Product Threshold

		NTC	

Inventory Reporting Format				
Nested Materials Method				
Basic Method				
Threshold Disclosed Per				

INESTED MATERIAIS METROD	
Basic Method	
hreshold Disclosed Per	
Material	
Product	

Threshold	level
⊙ 100 ppm	

C 1,000 ppm Per GHS SDS

Per OSHA MSDS

C Other

			/-		
łе	sıdı	uals	/Im	pur	ities

Considered

C Partially Considered C Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized % weight and role provided for all substances.

 ○ Yes Ex/SC Yes No Screened

All substances screened using Priority Hazard Lists with results disclosed

Identified ○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ARMSTRONG COMMERCIAL DUNE CEILING PANELS [PERLITE LT-UNK LIMESTONE LT-UNK CLAY LT-UNK | CAN CORN STARCH LT-UNK POLYCARBOXYLIC ACID, SODIUM SALT NoGS DIATAMACEOUS EARTH LT-UNK GLUCOSE NoGS POLYVINYL ACETATE LT-UNK QUARTZ LT-1 | CAN SILICA LT-1 | CAN STARCH LT-UNK CALCIUM CARBONATE BM-3 POLY HYDROXY LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard

Multi-attribute: Environmental Product Declaration

Multi-attribute: Declare Label

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? PREPARER: Self-Prepared VERIFIER: C Yes **VERIFICATION #:**

SCREENING DATE: 2018-10-24 PUBLISHED DATE: 2020-03-12 EXPIRY DATE: 2021-10-24

No



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ARMSTRONG COMMERCIAL DUNE CEILING PANELS

PRODUCT THRESHOLD: 100 ppm

BESIDUALS AND IMPUBITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities in select raw materials are quantitatively measured, and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES: https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/dune-square-layin-and-tegular-ceiling-tiles.html#redirect_term=Dune+

PERLITE				ID: 93763-70-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2018-10-24		
%: 35.00 - 55.00	GS: LT-UNK	RC: None	nano: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No w	arnings found on H	PD Priority Hazard Lists
SUBSTANCE NOTES: This inc	gredient is a filler in the ceiling base			

LIMESTONE ID: 1317-65						
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2018-10-24				
%: 10.00 - 20.00	GS: LT-UNK	RC: UNK	nano: No	ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No w	arnings found on H	PD Priority Hazard Lists		

SUBSTANCE NOTES: Calcium Carbonate used in this product in not regulated as a hazardous substance. Calcium Carbonate used in this product is not a registered pesticide under FIFRA. Calcium Carbonate is not registered as a persistent material.

CLAY				ID: 1332-58-7
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	G DATE: 2018-10-2 4	4
%: 1.00 - 40.00	GS: LT-UNK	RC: UNK	nano: No	ROLE: Core

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Kaolin clay used in this product in not regulated as a hazardous substance.

CORN STARCH ID: 9005-25-8

HAZARD SCREENING METHOD:	HAZARD SCREE	HAZARD SCREENING DATE: 2018-10-24			
%: 1.00 - 5.00	gs: LT-UNK	RC: UNK	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					
SUBSTANCE NOTES: This in	ngredients is a binder in the base board.				

POLYCARBOXYLIC ACID, SODIUM SALT

ID: **62601-60-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-10-24			
%: 0.10 - 1.00	GS: NoGS	RC: UNK	nano: No	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found	No w	arnings found on H	PD Priority Hazard Lists		

SUBSTANCE NOTES: This ingredient is a filler in the base board.

DIATAMACEOUS EARTH	ID: 68855-54-9
--------------------	-----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-10-24		
%: 0.10 - 1.00	GS: LT-UNK	RC: UNK	nano: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No wa	arnings found on HI	PD Priority Hazard Lis

 $\hbox{\tt SUBSTANCE NOTES: $This ingredient is a filler.}\\$

ID: 8029-43-4
ID: 8029-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-10-24		
%: 0.10 - 1.00	GS: NoGS	RC: UNK	NANO: No	ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: This ingredient is a binder in the base board.

POLYVINYL ACETATE ID: 9003-20-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-10-24			
%: 0.10 - 1.00	GS: LT-UNK	RC: UNK	nano: No	ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No w	arnings found on I	HPD Priority Hazard Lists		

SUBSTANCE NOTES: Polyvinyl Acetate used in this product in not regulated as a hazardous substance.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-10-24		
%: 0.10 - 1.00	gs: LT-1	RC: UNK	nano: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		spirable size -
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		hat cause cancer in
CANCER	New Zealand - GHS	6.7A - Known or	presumed human o	carcinogens
CANCER	Japan - GHS	Carcinogenicity	- Category 1A	
CANCER	Australia - GHS	H350i - May cau	se cancer by inhala	tion

SUBSTANCE NOTES: Quartz is bound within the coating and is not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

SILICA				ID: 14464-46-1
HAZARD SCREENING METHOD: Pharos Cher	nical and Materials Library	HAZARD SCREENIN	IG DATE: 2018-10-24	
%: 0.10 - 1.00	GS: LT-1	RC: UNK	nano: No	ROLE: Filler

QUARTZ

ID: 14808-60-7

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Silica is bound within the coating and not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-10-24		
6: 0.10 - 1.00	gs: LT-UNK	RC: UNK	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No v	varnings found on	HPD Priority Hazard List

AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2018-10-24		
s: 0.01 - 0.10	GS: BM-3	RC: UNK	nano: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No v	varnings found on H	IPD Priority Hazard List

POLY HYDROXY				ID: 60828-78-6
HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREENIN	G DATE: 2018-10-	-24
%: 0.01 - 0.10	GS: LT-UNK	RC: UNK	nano: No	ROLE: Filler

product is not a registered pesticide under FIFRA. Calcium Carbonate is not registered as a persistent material.

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This ingredient is a filler in the coating.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2018-10-24		
%: 0.01 - 0.10	GS: LT-1	RC: UNK	nano: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled fron occupational sources			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	Potential Endocrine Disruptor		
CANCER	MAK	•	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	•	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: Titanium Dioxide is bound within the coating and is not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL GreenGuard

CERTIFYING PARTY: UL Environment

ISSUE DATE: 2018-

EXPIRY DATE: 2020-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: all

04-16

05-02

Environment

CERTIFICATE URL:

https://www.armstrongceilings.com/pdbupimages-

clg/218355.pdf/download/dune-greenguard-

certificate.pdf

CERTIFICATION AND COMPLIANCE NOTES: ttps://www.armstrongceilings.com/pdbupimages-

clg/218355.pdf/download/dune-greenguard-certificate.pdf

MULTI-ATTRIBUTE

Environmental Product Declaration

03-31

CERTIFYING PARTY: UI Environment

ISSUE DATE:

CERTIFIER OR **EXPIRY**

APPLICABLE FACILITIES: all

CERTIFICATE URL:

2016-

DATE: LAB: UL

https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/north-

03-31

Environment 2021-

america/epds/dune-epd.pdf

CERTIFICATION AND COMPLIANCE NOTES:

https://www.armstrongceilings.com/content/dam/armstrongceilings/commercial/north-america/epds/duneepd.pdf

MULTI-ATTRIBUTE

Declare Label

CERTIFYING PARTY: ILFI APPLICABLE FACILITIES: all ISSUE DATE: 2019-

EXPIRY DATE: 2020-

CERTIFIER OR LAB: ILFI

10-18

10-01

CERTIFICATE URL:

https://www.armstrongceilings.com/commercial/en-

us/performance/sustainable-building-

design/declare-labels-commercial-ceilings.html

CERTIFICATION AND COMPLIANCE NOTES: Red List Free ILFI Declare Database - https://living-future.org/declare/? manufacturer=armstrong-world-industries-inc https://www.armstrongceilings.com/commercial/enus/performance/sustainable-building-design/declare-labels-commercial-ceilings.html



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/dune-square-lay-in-and-tegular-ceiling-tiles.html

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries

ADDRESS: 2500 Columbia Avenue Lancaster PA 17603, USA

WEBSITE: armstrongceilings.com

CONTACT NAME: Anita Snader
TITLE: Sustainability manager
PHONE: 877-276-7876 option #2

EMAIL: techline@armstrongceilings.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.