

TRANSITION MOLDINGS

Acoustical-to-Drywall Transition Molding



UP TO **61%** RECYCLED CONTENT

Calculate LEED contribution at armstrongceilings.com/greengenie

LEED®

- energy management
- construction waste mgmt
- regional materials
- design for flexibility
- EPD
- recyclable/extended producer resp.
- biobased materials
- recycled content
- sourcing of raw materials
- material ingredient reporting
- low emitting materials
- lighting quality
- acoustics

LOCATION DEPENDENT



Acoustical-to-Drywall Transition Molding

Transition moldings save time and money and are easier to install.

KEY SELECTION ATTRIBUTES

- Fewer parts and pieces; combines acoustical molding with drywall taping flange
- Pre-punched vertical web to improve screw attachment
- Knurled and slotted integral taping flange on items 7901, 7902, 7904, 7905, 7906, 7907, 7908 accommodates taping and finishing
- Protective film on the face of the wall molding flange of 7904PF and 7905PF facilitates faster, easier mudding, sanding, and taping
- Compatible with all types of framing including Armstrong® Drywall Grid and ShortSpan®

VISUAL SELECTION

Item No.	Description	Dimensions	
Shadow Reveal Transition Molding			
7901	9/16" Shadow Reveal Transition Molding 120", 3/8" shadow reveal with 9/16" horizontal flange	120 x 2-5/16 x 1-1/4"	
7902	15/16" Shadow Reveal Transition Molding 120", 3/8" shadow reveal with 15/16" horizontal flange	120 x 2-11/16 x 1-1/4"	
7911	9/16" Shadow Reveal Transition Molding 120", 3/8 x 1/4" shadow reveal with 9/16" horizontal flange	120 x 2-3/8 x 1-1/4"	
7912	15/16" Shadow Reveal Transition Molding 120", 3/8 x 1/4" shadow reveal with 15/16" horizontal flange	120 x 2-3/4 x 1-1/4"	
Flush Transition Molding			
7903	1" Flush T Transition Molding	120 x 15/16 x 1-1/2"	
7904 7904PF*	15/16" Flush Transition Molding	120 x 2-11/16 x 1-1/4"	
7905 7905PF*	9/16" Flush Transition Molding	120 x 1-7/8 x 1-1/4"	

* Protective film applied to face of wall molding flange for easier finishing.

TRANSITION MOLDINGS

Acoustical-to-Drywall
Transition Molding



VISUAL SELECTION

Item No.	Description	Dimensions	
F Vertical Transition Molding			
7906	F Vertical Transition Molding	120 x 1-1/4 x 1-7/16"	
Tegular Transition Molding			
7907	9/16" Tegular Transition Molding 120", 9/16" horizontal flange	120 x 1-1/4 x 1-7/16"	
7908	15/16" Tegular Transition Molding 120", 15/16" horizontal flange	120 x 1-1/4 x 1-7/16"	
Step Transition Molding			
7909	15/16" 1" Step Transition Molding 120", 15/16" horizontal flange	120 x 1-15/16 x 2 3/8"	
7910	9/16" 1" Step Transition Molding 120", 9/16" horizontal flange	120 x 1-9/16 x 2"	

ACCESSORIES


2" Beam End Retaining Clip – Joins main beam or cross tee to wall molding and web of suspension system with no visible pop rivets.

ALBERC2 (aluminum) – 200 pcs

FZALBERC2 (aluminum) – 50 pcs

BERC2 (steel) – 200 pcs


FZBERC2 (steel) – 50 pcs



Knurled Angle Molding – Hemmed with prefinished exposed flanges.

KAM10 – 10 pcs

KAM12 – 10 pcs



PHYSICAL DATA

Material

Hot-dipped galvanized steel

Surface Finish

Factory-applied baked polyester paint finish

Warranty

10-year limited warranty
30-year system warranty

End Detail

Splice with screws

ICC Reports

For areas under ICC jurisdiction, see evaluation report numbers ESR-1289 and ESR-1308 for allowable values and/or conditions of use concerning the suspension system components listed on this page. The reports are subject to reexamination, revisions, and possible cancellation.

TRANSITION MOLDINGS

Acoustical-to-Drywall
Transition Molding




SUSTAIN™
High Performance
Sustainable
Ceiling Systems

INSTALLATION DETAILS


7901 – 9/16" and 7902 – 15/16" Drywall-to-Acoustical (Acoustical Flange with 3/8" reveal)



7911 – 9/16" and 7912 – 15/16" Drywall to Acoustical (Acoustical Flange with 3/8" x 1/4" reveal)




7910 – 9/16" and 7909 – 15/16" Drywall to Acoustical




7903 Drywall-to-Acoustical (1" Inverted T)



7904/7904PF – 15/16" and 7905/7905PF – 9/16" Drywall-to-Acoustical Flush Transition



7906



7907 – 9/16" and 7908 – 15/16" Drywall-to-Acoustical Regular

