

SERPENTINA® Waves™ *Custom looks with standard kits*

Acoustical & Accent Cloud Kits
smooth texture




CAD/Revit® drawings at:
armstrongceilings.com/cadrevit

Serpentina® Waves™ curved metal cloud kits combine easy installation with striking visual power.

KEY SELECTION ATTRIBUTES

- Wide variety of finishes
- 30-Year Limited System Warranty
- 60 pre-engineered kits that are easy to specify and install
- Panel lengths available up to 144"
- Serpentina® Waves™ perforated clouds installed with acoustical infill panels provide excellent sound absorption

plus capabilities



▲ Serpentina® Waves™ Clouds 24" x 96", 24" x 120", and 24" x 144" with R062 perforation in Silver Satin

armstrongceilings.com/capabilities
See more photos at:
armstrongceilings.com/photogallery

COLORS

Due to printing limitations, shade may vary from actual product.

Standard



Wood Looks Architectural Film Colors (not available perforated)



PERFORATION OPTIONS / SOUND ABSORPTION

	R042	R062	*R125	*R250	**R188	**R375
Acoustic Infill						
8200T10	1.14	1.14	—	0.96	0.94	1.03
Fleece	0.68	0.77	—	0.87	0.65	0.84
No Fleece	—	—	—	0.05	—	—
	**S250	**S375	*S500	UPA Unperforated	*CR125	CUPA Unperforated Corrugated Panel
Acoustic Infill						
8200T10	1.06	1.04	0.95	—	—	—
Fleece	—	—	—	—	—	—
No Fleece	—	—	—	—	—	—

* Laminated acoustical fleece is not available on Perforated Panels R125, R250, S500, CR125 or CUPA due to open cell percentage or panel profile.
** Acoustical fleece comes standard.

SERPENTINA® Waves™

Acoustical & Accent Cloud Kits
smooth texture

LEED® WELL™ | LBC

UP TO **50% RECYCLED CONTENT**

energy management
construction waste mgmt
regional materials
design for flexibility
EPD
recyclable/excise producer resp.
biobased materials
recycled content
sourcing of raw materials
material ingredient reporting
low emitting materials
lighting quality
acoustics

Calculate sustainability with GreenGenie™
armstrongceilings.com/greengenie

LOCATION DEPENDENT

SERPENTINA® WAVES™ COMPONENTS (sold separately)


Item No. ♦	Description	Item No. ♦	Description
___ H/V	Main Beam (15/16")	SPTSPLICE	Serpentina® Splice Plate
SPTSTR	1' - 12' Straight Trim	AX-SPT-HDC	Serpentina® Trim Hold-Down Clip
___ H/V PT	Curved Trim	SCXT24MR SCXT24SPT	Cross tee that connects main beams Cross tee that connects main beams to perimeter trim
SH12	Serpentina® StrongBack™ System	SCXT24SPT2	Cross tees that connects perimeter trim to perimeter trim (2' wide modules)
SPTOSCP	Serpentina® Outside Corner Post	SPTCS4-12	Serpentina® Waves Connector Sleeves
AXCLTW	Serpentina® Trim Twist Clip	Speed Clip	Serpentina® Semi-Concealed Splice Clip (3 per panel interface)

♦ Indicate appropriate Serpentina® Waves™ Kit number

SERPENTINA WAVES KITS

Item No. ♦	Hill (SH)	Valley (SV)	Hill/Valley Combo (SW)	Arc Degree	Description	Direction of Arc/ Size/Type
SH300404_	•			30	Hill with 30° arc	4' x 4'
SH450404_	•			45	Hill with 45° arc	
SV300404_		•		30	Valley with 30° arc	
SV450404_		•		45	Valley with 45° arc	
SH300604_	•			30	Hill with 30° arc	6' x 4'
SH450604_	•			45	Hill with 45° arc	
SV300604_		•		30	Valley with 30° arc	
SV450604_		•		45	Valley with 45° arc	
SH300804_	•			30	Hill with 30° arc	8' x 4'
SH450804_	•			45	Hill with 45° arc	
SV300804_		•		30	Valley with 30° arc	
SV450804_		•		45	Valley with 45° arc	
SW300804_			•	30	Hill/Valley with 30° arc	
SW450804_			•	45	Hill/Valley with 45° arc	
SH301004_	•			30	Hill with 30° arc	10' x 4'
SH451004_	•			45	Hill with 45° arc	
SV301004_		•		30	Valley with 30° arc	
SV451004_		•		45	Valley with 45° arc	

♦ When specifying or ordering, add the appropriate perforation and color suffixes.



PERFORATION SPECIFICATIONS

Perforation	Perforation Size	Open Area	Border	Perforation	Perforation Size	Open Area	Border
R042	3/64" Dia. @ 1/8" O.C.	11%	No border	S250	1/4" x 1/4" @ 3/4" O.C.	11%	Nominal 3/4" border
R062	1/16" Dia. @ 1/4" O.C.	6%	No border	S375	3/8" x 3/8" @ 1-1/8" O.C.	11%	Nominal 3/4" border
R250	1/4" Dia. @ 0.32" O.C.	58%	Nominal 3/4" border	S500	1/2" x 1/2" @ 5/8" O.C.	64%	Nominal 3/4" border
R375	3/8" Dia. @ 1-1/8" O.C.	10%	Nominal 3/4" border	H250	1/4" width @ .281 Staggered	79%	Nominal 3/4" border
R188	3/16" Dia. @ 1" O.C.	4%	Nominal 3/4" border	R125	1/8" Dia. @ 3/16" O.C.	41%	Nominal 3/4" border

SERPENTINA® Waves™

Acoustical & Accent Cloud Kits
smooth texture

LEED® WELL™ LBC

UP TO **50% RECYCLED CONTENT**

energy management
construction waste mgmt
regional materials
design for flexibility
EPD
recyclable/extended producer resp.
biobased materials
recycled content
sourcing of raw materials
material ingredient reporting
low emitting materials
lighting quality
acoustics


Calculate sustainability with GreenGenie™
armstrongceilings.com/greengenie

LOCATION DEPENDENT

SERPENTINA® WAVES™ KITS

Item No. ♦	Hill (SH)	Valley (SV)	Hill/Valley Combo (SW)	Arc Degree	Description	Direction of Arc/ Size/Type
SH301204	•			30	Hill with 30° arc	12' x 4'
SH451204	•			45	Hill with 45° arc	
SV301204		•		30	Valley with 30° arc	
SV451204		•		45	Valley with 45° arc	
SW301204			•	30	Hill/Valley with 30° arc	
SW451204			•	45	Hill/Valley with 45° arc	
SH300406	•			30	Hill with 30° arc	4' x 6'
SH450406	•			45	Hill with 45° arc	
SV300406		•		30	Valley with 30° arc	
SV450406		•		45	Valley with 45° arc	
SH300606	•			30	Hill with 30° arc	6' x 6'
SH450606	•			45	Hill with 45° arc	
SV300606		•		30	Valley with 30° arc	
SV450606		•		45	Valley with 45° arc	
SH300806	•			30	Hill with 30° arc	8' x 6'
SH450806	•			45	Hill with 45° arc	
SV300806		•		30	Valley with 30° arc	
SV450806		•		45	Valley with 45° arc	
SW300806			•	30	Hill/Valley with 30° arc	
SW450806			•	45	Hill/Valley with 45° arc	
SH301006	•			30	Hill with 30° arc	10' x 6'
SH451006	•			45	Hill with 45° arc	
SV301006		•		30	Valley with 30° arc	
SV451006		•		45	Valley with 45° arc	
SH301206	•			30	Hill with 30° arc	12' x 6'
SH451206	•			45	Hill with 45° arc	
SV301206		•		30	Valley with 30° arc	
SV451206		•		45	Valley with 45° arc	
SW301206			•	30	Hill/Valley with 30° arc	
SW451206			•	45	Hill/Valley with 45° arc	
SH300408	•			30	Hill with 30° arc	4' x 8'
SH450408	•			45	Hill with 45° arc	
SV300408		•		30	Valley with 30° arc	
SV450408		•		45	Valley with 45° arc	
SH300608	•			30	Hill with 30° arc	6' x 8'
SH450608	•			45	Hill with 45° arc	
SV300608		•		30	Valley with 30° arc	
SV450608		•		45	Valley with 45° arc	
SH300808	•			30	Hill with 30° arc	8' x 8'
SH450808	•			45	Hill with 45° arc	
SV300808		•		30	Valley with 30° arc	
SV450808		•		45	Valley with 45° arc	
SW300808			•	30	Hill/Valley with 30° arc	
SW450808			•	45	Hill/Valley with 45° arc	
SH301008	•			30	Hill with 30° arc	10' x 8'
SH451008	•			45	Hill with 45° arc	
SV301008		•		30	Valley with 30° arc	
SV451008		•		45	Valley with 45° arc	
SH301208	•			30	Hill with 30° arc	12' x 8'
SH451208	•			45	Hill with 45° arc	
SV301208		•		30	Valley with 30° arc	
SV451208		•		45	Valley with 45° arc	
SW301208			•	30	Hill/Valley with 30° arc	
SW451208			•	45	Hill/Valley with 45° arc	

* When specifying or ordering, add the appropriate perforation and color suffixes.



CLOUDS & CANOPIES – Standard

SERPENTINA® Waves™

Acoustical & Accent Cloud Kits
smooth texture

LEED® WELL™ | LBC

UP TO **50% RECYCLED CONTENT**

energy management
construction waste mgmt
regional materials
design for flexibility
EPD
recyclable/producer resp.
biobased materials
recycled content
sourcing of raw materials
material ingredient reporting
low emitting materials
lighting quality
acoustics

Calculate sustainability with GreenGenie™
armstrongceilings.com/greengenie

LOCATION DEPENDENT

SERPENTINA® WAVES™ KITS

Item No. ♦	Hill (SH)	Valley (SV)	Hill/Valley Combo (SW)	Arc Degree	Description	Direction of Arc/ Size/Type
SH300410	•			30	Hill with 30° arc	4' x 10'
SH450410	•			45	Hill with 45° arc	4' x 10'
SV300410		•		30	Valley with 30° arc	4' x 10'
SV450410		•		45	Valley with 45° arc	4' x 10'
SH300610	•			30	Hill with 30° arc	6' x 10'
SH450610	•			45	Hill with 45° arc	6' x 10'
SV300610		•		30	Valley with 30° arc	6' x 10'
SV450610		•		45	Valley with 45° arc	6' x 10'
SH300810	•			30	Hill with 30° arc	8' x 10'
SH450810	•			45	Hill with 45° arc	8' x 10'
SV300810		•		30	Valley with 30° arc	8' x 10'
SV450810		•		45	Valley with 45° arc	8' x 10'
SW300810			•	30	Hill/Valley with 30° arc	8' x 10'
SW450810			•	45	Hill/Valley with 45° arc	8' x 10'
SH301010	•			30	Hill with 30° arc	10' x 10'
SH451010	•			45	Hill with 45° arc	10' x 10'
SV301010		•		30	Valley with 30° arc	10' x 10'
SV451010		•		45	Valley with 45° arc	10' x 10'
SH301210	•			30	Hill with 30° arc	12' x 10'
SH451210	•			45	Hill with 45° arc	12' x 10'
SV301210		•		30	Valley with 30° arc	12' x 10'
SV451210		•		45	Valley with 45° arc	12' x 10'
SW301210			•	30	Hill/Valley with 30° arc	12' x 10'
SW451210			•	45	Hill/Valley with 45° arc	12' x 10'
SH300412	•			30	Hill with 30° arc	4' x 12'
SH450412	•			45	Hill with 45° arc	4' x 12'
SV300412		•		30	Valley with 30° arc	4' x 12'
SV450412		•		45	Valley with 45° arc	4' x 12'
SH300612	•			30	Hill with 30° arc	6' x 12'
SH450612	•			45	Hill with 45° arc	6' x 12'
SV300612		•		30	Valley with 30° arc	6' x 12'
SV450612		•		45	Valley with 45° arc	6' x 12'
SH300812	•			30	Hill with 30° arc	8' x 12'
SH450812	•			45	Hill with 45° arc	8' x 12'
SV300812		•		30	Valley with 30° arc	8' x 12'
SV450812		•		45	Valley with 45° arc	8' x 12'
SW300812			•	30	Hill/Valley with 30° arc	8' x 12'
SW450812			•	45	Hill/Valley with 45° arc	8' x 12'
SH301012	•			30	Hill with 30° arc	10' x 12'
SH451012	•			45	Hill with 45° arc	10' x 12'
SV301012		•		30	Valley with 30° arc	10' x 12'
SV451012		•		45	Valley with 45° arc	10' x 12'
SH301212	•			30	Hill with 30° arc	12' x 12'
SH451212	•			45	Hill with 45° arc	12' x 12'
SV301212		•		30	Valley with 30° arc	12' x 12'
SV451212		•		45	Valley with 45° arc	12' x 12'
SW301212			•	30	Hill/Valley with 30° arc	12' x 12'
SW451212			•	45	Hill/Valley with 45° arc	12' x 12'

♦ When specifying or ordering, add the appropriate perforation and color suffixes.



CLOUDS & CANOPIES – Standard