

# CLEANING GUIDELINES:

## Ceilings, Walls, Suspension Systems, and Trim

Due to the potential impact on the finish, please follow the specific guidance below for general cleaning:

- It is recommended that only clear mild detergent cleaners be used, as dyed liquids can permanently discolor the finish of some ceiling tiles.
- Cleaning is only recommended for the finished face of the ceiling and wall panels.
- Mineral fiber and fiberglass ceiling and wall panels should never be soaked in water or other liquids.
- Custom colors or printed Create!™ Mineral fiber or fiberglass products should always use Cleaning Option 1.

### Cleaning Option 1:

A commercial vacuum system with 100-inches/H2O vacuum capacity is recommended for removing dust particles. The vacuum system cleaning attachment should be a 3" diameter wand with natural hair bristle. A HEPA vacuum filter is recommended to minimize air borne dust during the cleaning process. Care must be taken while vacuuming to avoid excessive pressure. Use a blotting action to minimize potential damage of surface texture on ceiling and wall panels.

### Cleaning Option 2:

Using a clean damp cloth or soft, smooth sponge with a mild, clear detergent, wipe lightly on the surface to remove any dirt. Dry any excess moisture with a clean, white microfiber cloth. Note: If moisture is not removed, it may stain the surface over time.

Cleaning conditions and aesthetics may be impacted by additional site conditions. These instructions pertain only to the maintenance of the aesthetics and integrity of Armstrong Ceiling & Wall Solutions products. Please consult the manufacturer's instructions and guidance regarding any cleaning product.

### STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
<b>ACOUSTIBuilt™</b>	•	•
<b>Armatuff®</b>	•	•
<b>Calla®</b> Calla® Health Zone™ Calla® High CAC Calla® High NRC Calla® PrivAssure™ Calla® Shapes for DESIGNFlex® Calla® Vector®	•	•
<b>Calla®</b> Calla® Health Zone™ AirAssure™	•	•
<b>Canyon®</b> Canyon® for Prelude® XL Max®	•	•
<b>Ceramaguard®</b> Ceramaguard® Fine Fissured™	•	•
<b>Cirrus®</b> Cirrus® High NRC Cirrus® Profiles Cirrus® Second Look® Cirrus® Themes™	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT

Cleaning Option 1

Cleaning Option 2

**Clean Room™**

Clean Room™ FL  
Clean Room™ FL for Prelude® XL Max®  
Clean Room™ VL

•

•

**Cortega®**

Cortega® Second Look®

•

•

**Designer™**

•

•

**DESIGNFlex® for Formations™**

•

•

**Dune™**

Dune™ Second Look®

•

•

**FeltWorks®**

FeltWorks® Acoustical Panels  
FeltWorks® Blades  
FeltWorks® Open Cell

•

**Fine Fissured™**

Fine Fissured™ for PRELUDE® XL Max®  
Fine Fissured™ High NRC  
Fine Fissured™ Second Look®

•

•

**Fissured**

•

•

**Formations™**

Formations™ Curves Cloud Kits  
Formations™ for Drywall Cloud Kits  
Formations™ Planks Cloud Kits  
Formations™ Squares & Rectangles Cloud Kits  
Formations™ Staggered Cloud Kits

•

•

**Georgian™ High Washability**

•

•

**Graphis®**

Graphis® Finetex™  
Graphis® Rustex™

•

•

**Infill Panels**

•

•

**Infusions®**

Infusions® Accent Canopies  
Infusions® Blades – Concepts  
Infusions® Lay-in  
Infusions® Shapes  
Infusions® Wings

•

**InvisAcoustics™**

•

•

**Kitchen Zone™**

•

•

**Ledges®**

•

•

**Lineage™ Wood Looks**

•

•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT

Cleaning Option 1

Cleaning Option 2

<b>Lyra®</b> Lyra® Concealed Lyra® Plant Based (PB) Lyra® PB Direct Apply Lyra® PB Shapes for DESIGNFlex® Lyra® PB High CAC Lyra® PB Vector®	•	•
<b>Mesa™</b> Mesa™ Second Look	•	•
<b>MetalWorks™</b> MetalWorks™ 3D MetalWorks™ Blades – Classics™ MetalWorks™ Canopies MetalWorks™ Capz™ MetalWorks™ Clip-On MetalWorks™ Concealed MetalWorks™ Tegular for DESIGNFlex® MetalWorks™ Open Cell MetalWorks™ Plank MetalWorks™ SecureLock MetalWorks™ Shapes for DESIGNFlex® MetalWorks™ Snap-in MetalWorks™ Tegular MetalWorks™ Tin MetalWorks™ Torsion Spring MetalWorks™ Torsion Spring Shapes MetalWorks™ Vector® & Vector® Exterior MetalWorks™ Wings MetalWorks™ Linear MetalWorks™ Linear – Classics MetalWorks™ Linear – Diverge MetalWorks™ Linear – Synchro MetalWorks™ Mesh Expanded Metal Welded Wire Woven Wire	•	•
<b>Metaphors® Coffers</b>	•	•
<b>Optima® Create!™</b>	•	
<b>Optima®</b> Optima® Concealed Optima® for Prelude® XL Max® Optima® Health Zone™ Optima® Lay-In & Tegular Optima® PB Shapes for DESIGNFlex® Optima® Plant Based Optima® Vector® Optima® Capz™	•	•
<b>Painted Nubby™</b>	•	•
<b>Pebble™</b>	•	•
<b>Random Fissured™</b>	•	•
<b>School Zone® Fine Fissured™</b> School Zone® Fine Fissured™	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT

Cleaning Option 1

Cleaning Option 2

**School Zone®**

School Zone® Fine Fissured™ AirAssure™

•

•

**Serpentina®**

Serpentina® Classic  
Serpentina® Components  
Serpentina® Vault  
Serpentina® Waves™

•

•

**Shasta®**

•

•

**SoundScapes®**

SoundScapes® Acoustical Canopies  
SoundScapes® Basics  
SoundScapes® Blades  
SoundScapes® Shapes

•

•

**Soundsoak®**

Soundsoak® Baffles

•

•

**Spectra® Capz™**

•

•

**Supercoat™ Touch-Up Paint (Ceiling)**

•

•

**TechZone® Panels**

TechZone® with Calla® Field Panels  
TechZone® with Lyra® PB Field Panels  
TechZone® with Lyra® PB Technical Panels  
TechZone® with MetalWorks™ Field Panels  
TechZone® with MetalWorks™ Technical Panels  
TechZone® with Optima® Field Panels  
TechZone® with Optima® Technical Panels  
TechZone® with Ultima® Field Panels  
TechZone® with Ultima® Technical Panels  
TechZone® with WoodWorks® Field Panels  
TechZone® with WoodWorks® Technical Panels

•

•

**Tectum®**

Tectum® Blades & Baffles  
Tectum® Clouds  
Tectum® Direct-Attach Ceilings  
Tectum® Finale™ Ceiling Panels  
Tectum® Lay-In  
Tectum® Panel Art Ceilings  
Tectum® Shapes  
Tectum® Tegular

•

•

**Tincraft™**

•

•

**Tundra®**

•

•

**Ultima®**

Ultima® Create!™

•

**Ultima®**

Ultima® Health Zone™ Create!™

•

**Ultima®**

Ultima® Health Zone™ AirAssure™

•

•

STANDARD CLEANING RECOMMENDATIONS – WALLS

PRODUCT

Cleaning Option 1

Cleaning Option 2

**Ultima®**

Ultima® for Prelude® XL Max®  
 Ultima® Health Zone™  
 Ultima® Health Zone™ High NRC  
 Ultima® High NRC  
 Ultima® Lay-In & Tegular  
 Ultima® Shapes for DESIGNFlex®  
 Ultima® Vector®  
 Ultima® AirGuard™ Coating

•

•

**VL**

•

•

**WoodWorks®**

WoodWorks® Canopies  
 WoodWorks® Channeled Plank  
 WoodWorks® Channeled Tegular  
 WoodWorks® Channeled Vector®  
 WoodWorks® Concealed  
 WoodWorks® Grille  
 WoodWorks® Grille Tegular  
 WoodWorks® Linear Solid Wood Panels  
 WoodWorks® Linear Veneered Panels  
 WoodWorks® Linear Veneered Planks  
 WoodWorks® Open Cell  
 WoodWorks® Shapes for DESIGNFlex®  
 WoodWorks® Tegular  
 WoodWorks® Vector®

•

•

**SoundScapes™ Blades Walls**

•

•

**SoundSoak® 60**

SoundSoak® 60  
 Anchorage  
 FR-701  
 Lido  
 Metallation  
 Rhythms®  
 Spinel  
 SoundSoak® 85  
 Anchorage  
 FR-701  
 Lido  
 Metallation  
 Rhythms®  
 Spinel  
 Tempos

•

•

**Infusions™**

Infusions® Resilient Partitions  
 Infusions® Sheets  
 Infusions® Walls

•

•

**Optima™ Wall panels**

•

•

**Painted Nubby™ Wall panels**

•

•

**Tectum®**

Tectum® Direct-Attach Walls  
 Tectum® Finale™ Wall Panels  
 Tectum® Panel Art Walls

•

•

**WoodWorks®**

WoodWorks® Channeled  
 WoodWorks® Ekos®  
 WoodWorks® Walls

•

•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

PRODUCT

Cleaning Option 1

Cleaning Option 2

**SUSPENSION SYSTEMS**

**Suprafine® XL®**

- Suprafine® XL® 9/16" Exposed Tee
- Suprafine® XL® Fire Guard™ 9/16" Exposed Tee
- Suprafine® XL® High Recycled Content

**Suprafine® XM**

- Suprafine® XM® 9/16" Exposed Tee System for Shapes

**1-1/2" Co-Extruded Clean Room™**

**15/16" Co-Extruded Clean Room™**

**360 Painted Grid**

**Axiom®**

- Axiom® Building Perimeter Pockets for Lutron Shades
- Axiom® Building Perimeter Shade Pockets
- Axiom® Classic
- Axiom® Direct Light Covers
- Axiom® Drywall Trim
- Axiom® Glazing Channel
- Axiom® Indirect Field Light Covers
- Axiom® Indirect Light Covers
- Axiom® Indirect Light Ledge
- Axiom® Knife Edge®
- Axiom® Moldings & Column Rings
- Axiom® Paired
- Axiom® Transitions
- Axiom® Vector®
- Axiom® Interlude®

**Accessories & Moldings**

**Accessories & Moldings – Seismic**

**Acoustical & Drywall Transition Molding**

**Continuous Load Path (CLP)  
for Prelude® XL®**

**DynaMax™**

**Drywall Grid Accessories**

**Drywall Grid System**

**Interlude® XL® HRC Dimensional Tee**

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

PRODUCT

Cleaning Option 1

Cleaning Option 2

**Prelude®**

- Prelude® Concealed
- Prelude® ML
  - Prelude® ML 15/16" Exposed Tee
- Prelude® XL®
  - Prelude® XL® 15/16" Exposed Tee
  - Prelude® XL® 15/16" for Exterior Applications
  - Prelude® XL® Fire Guard™ 15/16" Exposed Tee
  - Prelude® XL® High Recycled Content
- Prelude® Plus XL®
  - Prelude® Plus XL® Aluminum 15/16" Exposed Tee
  - Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee
  - Prelude® Plus XL® Stainless Steel 15/16" Exposed Tee
  - Prelude® Plus XL® 15/16" Exposed Tee
  - Prelude® Plus XL® 15/16" for Exterior Applications
  - Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee
  - Prelude® Plus XL® High Recycled Content
- Prelude® XL Max®
- Prelude® XM
  - Prelude® XM 15/16" Exposed Tee System for Shapes

•

•

**Quikstix™**

- Quikstix™ Drywall Grid System Locking Pocket Mains
- Quikstix™ Drywall Grid System for Soffits

•

•

**Shortspan® Drywall Framing System**

•

•

**Silhouette® XL®**

- Silhouette® XL® 9/16" Bolt Slot – 1/4" Reveal
- Silhouette® XL® 9/16" Bolt Slot – 1/8" Reveal

•

•

**Singlespan™ Acoustical Corridor System**

•

•

**Suprafine® ML 9/16" Exposed Tee**

•

•

**LIGHTING SOLUTIONS**

**Linear Lighting**

- Linear Lighting for Drywall
- Linear Lighting for ACOUSTIBuilt™

•

•

All trademarks used herein are the property of AWI Licensing LLC and/or its affiliates  
 © 2021 AWI Licensing LLC • Printed in the United States of America  
[armstrongceilings.com/commercial](http://armstrongceilings.com/commercial)

